

# Identification

## Solar Labeling Solutions

### Solar Placards Covered Under the HellermannTyton 25-Year Warranty

| TYPE           | ARTICLE NO. | DESCRIPTION  | PKG/ROLL QTY |
|----------------|-------------|--|--------------|
| PAINTSHIELD1   | 596-00792   | 3.6" X 2.375" for use with 596-00829, 596-00496  | 10           |
| PAINTSHIELD2   | 596-00793   | 3.5" X 1.75" for use with 596-00828, 596-00830, 596-00831, 596-00832, 596-00837, 596-00835, 596-00497, 596-00590, 596-00591, 596-00868               | 10           |
| PAINTSHIELD3   | 596-00794   | 4.0" X 1.80" for use with 596-00839, 596-00840, 596-00862 and 596-00863, 596-00864, 596-00865, 596-00498, 596-00588, 596-00499, 596-00252, 596-00253 | 10           |
| PAINTSHIELD4   | 596-00795   | 5.37" X 1.625" for use with 596-00860 and 596-00861, 596-00243, 596-00255, 596-00474   | 10           |
| PAINTSHIELD5   | 596-00796   | 3.60" X .90" for use with 596-00838, 596-00841, 596-00842, 596-00857, 596-00858, 596-00859, 596-00237, 596-00238, 596-00239                          | 10           |
| PAINTSHIELD6   | 596-00797   | 3.90" X .70" for use with 596-00833, 596-00834, 596-00495, 596-00587, 596-00589, 596-00867   | 10           |
| WESHLBLM5      | 596-00828   | Warning - Electric Shock Hazard  | 5            |
| WESHLBLDCM5    | 596-00829   | Warning - Electric Shock Hazard DC Volt Present  | 5            |
| WGCMEM5        | 596-00830   | Warning - Grounded Conductors Energized  | 5            |
| WDCCUM5        | 596-00831   | Warning - DC Conductors Energized  | 5            |
| WTOPVLBLM5     | 596-00832   | Warning - Turn Off Photovoltaic  | 5            |
| WDPSLBLM5      | 596-00833   | Warning - Dual Power Source  | 5            |
| CBACKFDM5      | 596-00834   | Caution - Photovoltaic System is Backfed   | 5            |
| BIPOLARPVM5    | 596-00835   | Warning - Bipolar PV Array   | 5            |
| IOCODM5        | 596-00836   | Warning - Inverter Output Connection. Do Not Relocate  | 5            |
| 120VOLTM5      | 596-00837   | Warning - 120-Volt Supply  | 5            |
| PVACDISM5      | 596-00838   | PV AC DISCONNECT RATING  | 5            |
| DC2011M5       | 596-00839   | DC Module Rating Label from NEC 2011   | 5            |
| AC2011M5       | 596-00840   | AC Module Rating Label from NEC 2011   | 5            |
| ACDISCTM5      | 596-00841   | Photovoltaic AC Disconnect   | 5            |
| DCDISCTM5      | 596-00842   | Photovoltaic DC Disconnect   | 5            |
| ACDISCTM5ENG   | 596-00857   | Photovoltaic AC Disconnect   | 5            |
| DCDISCTM5ENG   | 596-00858   | Photovoltaic DC Disconnect   | 5            |
| PVACDISM5ENG   | 596-00859   | PV AC DISCONNECT RATING  | 5            |
| MPVSDM5        | 596-00860   | Main Photovoltaic System Disconnect  | 5            |
| MPVACDISM5     | 596-00861   | Main Photovoltaic System AC Disconnect   | 5            |
| AC2011M5ENG    | 596-00862   | AC Module Rating Label from NEC 2011   | 5            |
| DC2011M5ENG    | 596-00863   | DC Module Rating Label from NEC 2011   | 5            |
| DCRATINGM5     | 596-00864   | Printable DC Rating Label from NEC 2008  | 5            |
| DCRATINGM5ENG  | 596-00865   | Engravable DC Rating Label from NEC 2008   | 5            |
| BLANK2X125     | 596-00866   | Engravable Blank Metal Placard   | 5            |
| BLANK4X75      | 596-00867   | Engravable Blank Metal Placard   | 5            |
| BLANK375X2     | 596-00868   | Engravable Blank Metal Placard with Warning header   | 5            |
| IOCOD17M5      | 596-00917   | Pre-Printed Metal Solar Placard - Power Source Output Connection - 2017, 4.12" X .75", Vinyl, Orange/White, 5/PK                                     | 5            |
| DC2017M5       | 596-00918   | Hand Writable Metal Solar Placard, Maximum Voltage - 2017, 3.75" X 2.125", Vinyl, Red/White 5/PK   | 5            |
| PVACDIS17M5    | 596-00919   | Hand Writable Metal Solar Placard, PV AC Rating Label -2017, 3.75" X 1.00", Polyester, Red, 5/PK   | 5            |
| WESHLBLDC17M5  | 596-00920   | Pre-Printed Metal Solar Placard - Electrical Shock Hazard Label w/DC - 2017, 3.75" X 2.5", Vinyl, Orange/White, 5/PK                                 | 5            |
| WESHLBL17M5    | 596-00921   | Pre-Printed Metal Solar Placard- Electrical Shock Hazard Label -2017, 3.75" X 2.0", Vinyl, Orange/White, 5/PK  | 5            |
| DC2017M5ENG    | 596-00922   | Engravable Metal Solar Placard, Maximum Voltage - 2017, 3.75" X 2.125", Vinyl, Red/White 5/PK  | 5            |
| PVACDIS17M5ENG | 596-00923   | Engravable Metal Solar Placard, PV AC Rating Label -2017, 3.75" X 1.00", Polyester, Red, 5/PK  | 5            |
| WDGC17M5       | 596-00924   | Pre-Printed Metal Solar Placard - Disconnection of grounded Label - 2017, 3.75" X 2.0", Vinyl, Orange/White, 5/PK                                    | 5            |

# Identification

## Solar Labeling Solutions

| Solar Labels Covered Under the HellermannTyton 7-Year Warranty |             |   |              |
|--|-------------|---|--------------|
| TYPE   | ARTICLE NO. | DESCRIPTION   | PKG/ROLL QTY |
| PVPSR  | 596-00206   | WARNING: PHOTOVOLTAIC POWER SOURCE  | 50           |
| WDPSLBL  | 596-00231   | Warning - Dual Power Source   | 50           |
| WESHLBLDC  | 596-00232   | Warning - Electric Shock Hazard DC Volt Present   | 50           |
| WESHLBL  | 596-00233   | Warning - Electric Shock Hazard   | 50           |
| WGCME  | 596-00234   | Warning - Grounded Conductors Energized   | 50           |
| WTOPVLBL   | 596-00235   | Warning - Turn Off Photovoltaic....   | 50           |
| CBACKFED   | 596-00236   | Caution - Photovoltaic System is backfed  | 50           |
| ACDISCT  | 596-00237   | Photovoltaic AC Disconnect  | 50           |
| DCDISCT  | 596-00238   | Photovoltaic DC Disconnect  | 50           |
| PVACDIS  | 596-00239   | PV AC DISCONNECT RATING   | 50           |
| ACRATNG  | 596-00240   | DC BACKUP RATING LABEL  | 50           |
| DCRATING   | 596-00241   | DC RATING LABEL   | 50           |
| LAM1   | 596-00242   | Clear Overlamine for Rating Label*  | 50           |
| MPVSD  | 596-00243   | MAIN PV SYSTEM DISCONNECT   | 50           |
| DNDCUL   | 596-00244   | DO NOT DISCONNECT UNDER LOAD  | 50           |
| CSESC  | 596-00245   | CAUTION: SOLAR ELEC SYS CONNECTED   | 50           |
| SOLARD   | 596-00246   | SOLAR DISCONNECT  | 50           |
| CSCIRLBL   | 596-00247   | CAUTION: SOLAR CIRCUIT  | 50           |
| AC2011   | 596-00252   | AC Module Rating Label from NEC 2011  | 50           |
| DC2011   | 596-00253   | DC Module Rating Label from NEC 2011  | 50           |
| MPVACDIS   | 596-00255   | MAIN PV SYSTEM AC DISCONNECT  | 50           |
| PVPSRTM  | 596-00257   | WARNING: PHOTOVOLTAIC POWER SOURCE SHINGLE LABEL  | 1            |
| WDCCU  | 596-00258   | Warning - DC conductors energized   | 50           |
| 120VOLT  | 596-00325   | Warning - 120-Volt Supply   | 50           |
| BIPOLARPV  | 596-00326   | Warning - Bipolar PV Array  | 50           |
| IOCOD  | 596-00368   | Warning - Inverter Output Connection. Do not relocate this overcurrent device                       | 50           |
| PSEWRS   | 596-00474   | PV SYSTEM EQUIPPED WITH RAPID SHUTDOWN  | 50           |
| WDPSLBL  | 596-00495   | Warning - Dual Power Source   | 50           |
| WESHLBLDC  | 596-00496   | Warning - Electric Shock Hazard DC Volt Present   | 50           |
| WESHLBL  | 596-00497   | Warning - Electric Shock Hazard   | 50           |
| WGCME  | 596-00498   | Warning - Grounded Conductors Energized   | 50           |
| WTOPVLBL   | 596-00499   | Warning - Turn Off Photovoltaic....   | 50           |
| CBACKFED   | 596-00587   | Caution - Photovoltaic System is backfed  | 50           |
| WDCCU  | 596-00588   | Warning - DC conductors energized   | 50           |
| IOCOD  | 596-00589   | Warning - Inverter Output Connection. Do not relocate this overcurrent device                       | 50           |
| BIPOLARPV  | 596-00590   | Warning - Bipolar PV Array  | 50           |
| 120VOLT  | 596-00591   | Warning - 120-Volt Supply   | 50           |
| CSESC  | 596-00613   | CAUTION: SOLAR ELEC SYS CONNECTED   | 50           |
| CSCIRLBL   | 596-00615   | CAUTION: SOLAR CIRCUIT  | 50           |
| WESHLBL10  | 596-00660   | Solar Label, Warning- Electrical Shock Hazard Label, 3.75" X 2.0", Vinyl, Orange/White, 10/PK       | 10           |
| WESHLBLDC10  | 596-00661   | Solar Label, Warning - Electrical Shock Hazard Label w/DC, 3.75" X 2.5", Vinyl, Orange/White, 10/PK | 10           |
| WDCCU10  | 596-00662   | Solar Label, Warning - DC Conductors Energized Label, 4.12" X 2.0", Vinyl, Orange/White, 10/PK      | 10           |
| WGCME10  | 596-00663   | Solar Label, Warning- Grounded Conductors Energized Label, 4.12" X 2.0", Vinyl, Orange/White, 10/PK | 10           |
| WTOPVLBL10   | 596-00664   | Solar Label, Warning - Turn Off PV Label, 4.12" X 2.0", Vinyl, Orange/White, 10/PK                  | 10           |

# Identification

## Solar Labeling Solutions

### Solar Labels Covered Under the HellermannTyton 7-Year Warranty (cont.)

| TYPE       | ARTICLE NO. | DESCRIPTION   | PKG/ROLL QTY |
|------------|-------------|---|--------------|
| WDPSLBL10  | 596-00665   | Solar Label, Warning- Dual Power Source Label, 4.12" X .75", Vinyl, Orange/White, 10/PK             | 10           |
| CBACKFED10 | 596-00666   | Solar Label, Caution - PV System Backfed Label, 4.12" X .75", Vinyl, Yellow/White, 10/PK            | 10           |
| BIPOARPV10 | 596-00667   | Solar Label, Warning - Bipolar PV Array Label, 3.75" X 2.0", Vinyl, Orange/White, 10/PK             | 10           |
| IOCOD10    | 596-00668   | Solar Label, Warning - Inverter Output Connection Label, 4.12" X .75", Vinyl, Orange/White, 10/PK   | 10           |
| 120VOLT10  | 596-00669   | Solar Label, Warning - 120-Volt Supply Solar Label, 3.75" X 2.0", Vinyl, Orange/White, 10/PK        | 10           |
| LAM110     | 596-00670   | Solar Label UV laminate, 4.2" X 2.25", Clear Laminate, Clear, 10/PK                                 | 10           |
| DNDCUL10   | 596-00671   | Pre-Printed Reflective Solar Label, 6.5" X 1", DO NOT DISCONNECT UNDER LOAD, Red, 10/PK             | 10           |
| CSESC10    | 596-00672   | Solar Label, Caution - Solar Electric System Connected Reflective Label, 6.5" X 1.0", Yellow, 10/PK | 10           |
| CSCIRLBL10 | 596-00673   | Solar Label, Caution - Solar Circuit Reflective Label, 6.5" X 1.0", Yellow, 10/PK                   | 10           |
| SOLARD10   | 596-00674   | Pre-Printed Reflective Solar Label, 6.5" X 1", SOLAR DISCONNECT, Red, 10/PK                         | 10           |
| MPVSD10    | 596-00675   | Pre-Printed Reflective Solar Label, 5.5' X 1.75", MAIN PV DISCONNECT, Red, 10/PK                    | 10           |
| MPVACDIS10 | 596-00676   | Pre-Printed Reflective Solar Label, 5.5" X 1.75", MAIN PV AC DISCONNECT, Red, 10/PK                 | 10           |
| PSEWRS10   | 596-00677   | Solar Label, Photovoltaic System with Rapid Shutdown Reflective Label, 5.5" X 1.75", Red, 10/PK     | 10           |
| PVPSR10    | 596-00678   | Pre-Printed Solar Label, 6.5" X 1", WARNING: PHOTOVOLTAIC POWER SOURCE, Red Reflective, 10/PK       | 10           |
| SMPV       | 596-00735   | Warning - Service Meter Also Serviced by PV System, 4.0" X 2.0", Vinyl, Orange/White, 50/RL         | 50           |
| PSKWH      | 596-00737   | Pre-Printed Solar Label, PV System kWh Meter, 4.0" X 1.0", Vinyl, Red, 50/RL                        | 50           |
| DCJB       | 596-00738   | Pre-Printed Solar Label, DC Junction Box, 4.0" X 1.0", Vinyl, Red, 50/RL                            | 50           |
| DNALP      | 596-00739   | Caution - Do Not Install Additional Loads In This Panel   | 50           |
| DCCB       | 596-00740   | Pre-Printed Solar Label, DC Combiner Box, 4.0" X 1.0", Vinyl, Red, 50/RL                            | 50           |
| PSKWH10    | 596-00743   | Pre-Printed Solar Label, PV System kWh Meter, 4.0" X 1.0", Vinyl, Red, 10/PK                        | 10           |
| DCJB10     | 596-00744   | Pre-Printed Solar Label, DC Junction Box, 4.0" X 1.0", Vinyl, Red, 10/PK                            | 10           |
| DNALP10    | 596-00745   | Caution - Do Not Install Additional Loads In This Panel   | 10           |
| DCCB10     | 596-00746   | Pre-Printed Solar Label, DC Combiner Box, 4.0" X 1.0", Vinyl, Red, 10/PK                            | 10           |
| SMPV10     | 596-00747   | Warning - Service Meter Also Serviced by PV System, 4.0" X 2.0", Vinyl, Orange/White, 10/PK         | 10           |
| ECCMPV     | 596-00748   | Enclosure Contains Conductors From Multiple PV Sources, 4.0" X 2.0", Vinyl, Red, 50/RL              | 50           |
| ECCMPV10   | 596-00749   | Enclosure Contains Conductors From Multiple PV Sources, 4.0" X 2.0", Vinyl, Red, 10/PK              | 10           |
| IOC        | 596-00750   | Pre-Printed Solar Label, Inverter Output Circuit, 4.0" X 1.0", Vinyl, Yellow, 50/RL                 | 50           |
| SSB        | 596-00751   | Pre-Printed Solar Label, Solar System Breaker, 2.0" X 1.0", Vinyl, Red, 50/RL                       | 50           |
| IOC10      | 596-00753   | Pre-Printed Solar Label, Inverter Output Circuit, 4.0" X 1.0", Vinyl, Yellow, 10/PK                 | 10           |
| SSB10      | 596-00754   | Pre-Printed Solar Label, Solar System Breaker, 2.0" X 1.0", Vinyl, Red, 10/PK                       | 10           |
| ACCB       | 596-00756   | Pre-Printed Solar Label, AC Combiner Box, 4.0" X 1.0", Vinyl, Red, 50/RL                            | 50           |
| DCD        | 596-00757   | Pre-Printed Solar Label, DC Disconnect, 4.0" X 1.0", Vinyl, Red, 50/RL                              | 50           |
| ACCB10     | 596-00758   | Pre-Printed Solar Label, AC Combiner Box, 4.0" X 1.0", Vinyl, Red, 10/PK                            | 10           |
| DCD10      | 596-00759   | Pre-Printed Solar Label, DC Disconnect, 4.0" X 1.0", Vinyl, Red, 10/PK                              | 10           |
| IOCODSM    | 596-00846   | Warning- Inverter Output Connection. Do not relocate this overcurrent device                        | 50           |
| IOCODSM    | 596-00847   | Warning - Inverter Output Connection. Do not relocate this overcurrent device                       | 50           |
| DC201110   | 596-00850   | Printable Solar Label, DC Module Label, 4.0" X 2.00", Polyester, Red, 10/PK                         | 10           |
| DCRATING10 | 596-00851   | Printable Solar Label, DC RATING LABEL, 3.75" X 2.00", Polyester, Red, 10/PK                        | 10           |
| PVACDIS10  | 596-00852   | Printable Solar Label, PV AC RATING LABEL, 3.75" X 1.00", Polyester, Red, 10/PK                     | 10           |
| ACDISCT10  | 596-00853   | Printable Solar Label, PV AC DISCONNECT LABEL, 3.75" X 1.00", Polyester, Red, 10/PK                 | 10           |
| DCDISCT10  | 596-00854   | Printable Solar Label, PHOTOVOLTAIC DC DISCONNECT, 3.75" X 1.00", Polyester, Red, 10/PK             | 10           |
| AC201110   | 596-00855   | Printable Solar Label, AC MODULE LABEL, 4.0" X 2.00", Polyester, Red, 10/PK                         | 10           |
| WESHLBL17  | 596-00878   | Warning - Electric Shock Hazard - 2017, 3.75" X 2.0", Vinyl, Orange/White, 50/RL                    | 50           |
| WESHLBDC17 | 596-00879   | Warning - Electric Shock Hazard DC Volt Present -2017, 3.75" X 2.5", Vinyl, Orange/White, 50/RL     | 50           |

# Identification

## Solar Labeling Solutions

### Solar Labels Covered Under the HellermannTyton 7-Year Warranty *(cont.)*

| TYPE          | ARTICLE NO. | DESCRIPTION  | PKG/ROLL QTY |
|---------------|-------------|--|--------------|
| IOCOD17       | 596-00880   | Warning - Power Source Output Connection -2017, 4.12" X .75", Vinyl, Orange,50/RL                          | 50           |
| DC201710      | 596-00881   | Solar Label, Maximum Voltage - 2017, 3.75" X 2.125", Vinyl, Red/White 10/PK                                | 10           |
| PVACDIS1710   | 596-00882   | Printable Solar Label, PV AC Rating Label -2017, 3.75" X 1.00", Polyester, Red, 10/PK                      | 10           |
| IOCOD17ST     | 596-00883   | Warning - Power Source Output Connection - 2017, 2.0" X 1.25", Vinyl, Orange/White, 50/RL                  | 50           |
| IOCOD17ST10   | 596-00884   | Solar Label, Warning - Power Source Output Connection - 2017, 2.0" X 1.25", Vinyl, Orange/White, 10/PK     | 10           |
| RSDYL17       | 596-00885   | Rapid Shutdown Label, Roof Safe, 6.0" X 4.0", Vinyl, Yellow, 50/RL   | 50           |
| RSDRD17       | 596-00886   | Rapid Shutdown Label, Roof Hazard, 6.0" X 4.0", Vinyl, Red, 50/RL  | 50           |
| PSEWRS17      | 596-00887   | Rapid Shutdown Switch - 2017, 6.50" X 1.0", Vinyl, Red, 50/RL  | 50           |
| RSDYL1710     | 596-00888   | Rapid Shutdown Label, Roof Safe, 6.0" X 4.0", Vinyl, Yellow, 10/PK   | 10           |
| RSDRD1710     | 596-00889   | Rapid Shutdown Label, Roof Hazard, 6.0" X 4.0", Vinyl, Red, 10/PK  | 10           |
| PSEWRS1710    | 596-00890   | Rapid Shutdown Switch - 2017, 6.50" X 1.0", Vinyl, Red, 10/PK  | 10           |
| DC2017        | 596-00891   | Solar Label, Maximum Voltage Label - 2017, 3.75" X 2.125", Vinyl, Red/White 50/RL                          | 50           |
| PVACDIS17     | 596-00892   | PV AC Disconnect Rating Label - 2017, 3.75" X 1.0", Vinyl, Orange/White, 50/RL                             | 50           |
| WESHLBL1710   | 596-00893   | Solar Label, Warning- Electrical Shock Hazard Label -2017, 3.75" X 2.0", Vinyl, Orange/White, 10/PK        | 10           |
| WESHLBLDC1710 | 596-00894   | Solar Label, Warning - Electrical Shock Hazard Label w/DC - 2017, 3.75" X 2.5", Vinyl, Orange/White, 10/PK | 10           |
| IOCOD1710     | 596-00895   | Solar Label, Warning - Power Source Output Connection - 2017, 4.12" X .75", Vinyl, Orange/White, 10/PK     | 10           |
| PVPSR500      | 596-00896   | WARNING: PHOTOVOLTAIC POWER SOURCE 500/RL  | 500          |
| AF5X35D       | 596-00904   | Pre-Printed Arc Flash label, Danger, 5.0" X 3.5", Red, 10/PK   | 10           |
| AF5X35W       | 596-00905   | Pre-Printed Arc Flash Label, Warning, 5.0" X 3.5", Orange, 10/PK   | 10           |
| ESSDCD        | 596-00986   | Main Battery System Disconnect, 5.5" X 1.75", Vinyl, Red, 50/RL  | 50           |
| MBSDIS        | 596-00987   | Energy Storage System DC Disconnect 3.75" X 2.12", Vinyl, Red, 50/RL                                       | 50           |
| PAINT PEN     | 596-06321   | Paint Pen, Black, 1/EA   | 1            |
| WDGC17        | 596-09323   | Warning - Disconnection of Grounded Conductors - 2017, 3.75" X 1.0", Vinyl, Orange/White, 50/RL            | 50           |
| WDGC1710      | 596-09324   | Solar Label, Warning - Disconnection of grounded Label - 2017, 3.75" X 2.0", Vinyl, Orange/White, 10/PK    | 10           |