

## Bundling and Securing US Military Standards

Part No.	US MILSPEC
<b>IT18R</b>	
IT18R2C2	MS3368-5-2E, SAE-AS33681
IT18R2L4	
IT18R3C2	MS3368-5-3E, SAE-AS33681
IT18R3L4	
IT18R4L4	MS3368-5-4E, SAE-AS33681
IT18R6C2	MS3368-5-6E, SAE-AS33681
IT18R6L4	
IT18R8C2	MS3368-5-8E, SAE-AS33681
IT18R9C2	MS3368-5-9E, SAE-AS33681
IT18R9L4	
<b>IT50L</b>	
IT50L0M4	MS3368-2-0A, SAE-AS33681
IT50L3M4	MS3368-2-3A, SAE-AS33681
IT50L4M4	MS3368-2-4A, SAE-AS33681
IT50L6M4	MS3368-2-6A, SAE-AS33681
IT50L9C2	MS3368-2-9A, SAE-AS81531
<b>IT50R</b>	
IT50R2C2	MS3368-1-2A, SAE-AS33681
IT50R3M4	MS3368-1-3A, SAE-AS33681
IT50R4C2	MS3368-1-4A, SAE-AS33681
IT50R9C2	MS3368-1-9A, SAE-AS81531
IT50R9M4	MS3368-1-9A, SAE-AS33681
<b>IT50RD</b>	
IT50RD4K2	MS3368-3-4C, SAE-AS33681
IT50RD9K2	MS3368-3-9C, SAE-AS81531
<b>IT50RT</b>	
IT50RT4K2	MS3368-4-4D, SAE-AS33681
IT50RT9K2	MS3368-4-9D, SAE-AS81531
<b>T120L</b>	
T120L0H5K2	MS3367-1-10
T120L0K2	
T120L0UVK2	SAE-AS33671, MS3367-6-0
T120L9K2	MS3367-6-9, SAE-AS33671
<b>T120R</b>	
T120R0H4	MS3367-1-10
T120R0H5H4	
T120R0H5K2	
T120R0K2	
T120R0UVC2	MS3367-3-0, SAE-AS33671
T120R0UVH4	
T120R9H4	MS3367-3-9, SAE-AS33671
T120R9K2	

Part No.	US MILSPEC
<b>T150L</b>	
T150L0X2	MS3367-1-10
T150L9X2	
<b>T18R</b>	
T18R0HSC2	MS3367-1-10
T18R0H5M4	
T18R0UVC2	MS3367-4-0, SAE-AS81531
T18R0UVM4	MS3367-4-0, SAE-AS33671
T18R10M4	MS3367-1-10
T18R1M4	MS3367-4-1, SAE-AS33671
T18R2M4	MS3367-4-2, SAE-AS33671
T18R3M4	MS3367-4-3, SAE-AS33671
T18R4M4	MS3367-4-4, SAE-AS33671
T18R5M4	MS3367-4-5, SAE-AS33671
T18R6M4	MS3367-4-6, SAE-AS33671
T18R7M4	MS3367-4-7, SAE-AS33671
T18R8M4	MS3367-4-8, SAE-AS33671
T18R9C2	MS3367-4-9
T18R9M4	
<b>T30R</b>	
T30R0HSC2	MS3367-1-10
T30R0H5M4	
T30R0UVC2	MS3367-5-0, SAE-AS81531
T30R0UVM4	MS3367-5-0, SAE-AS81531, SAE-AS33671
T30R10C2	MS3367-1-10
T30R10M4	
T30R1C2	MS3367-5-1, SAE-AS33671
T30R1M4	
T30R2C2	MS3367-5-2, SAE-AS33671
T30R2M4	
T30R3C2	MS3367-5-3, SAE-AS33671
T30R3M4	
T30R4C2	MS3367-5-4, SAE-AS33671
T30R4M4	
T30R5C2	MS3367-5-5, SAE-AS33671
T30R5M4	
T30R6C2	MS3367-5-6, SAE-AS33671
T30R6M4	
T30R7C2	MS3367-5-7, SAE-AS33671
T30R7M4	
T30R8C2	MS3367-5-8, SAE-AS33671
T30R8M4	
T30R9C2	MS3367-5-9, SAE-AS81531
T30R9M4	

### Bundling and Securing US Military Standards

Part No.	US MILSPEC
<b>T50I</b>	
T50I0C2	MS3367-1-10
T50I0HSC2	
T50I0HSM4	
T50I0M4	
T50I0UVC2	MS3367-5-0, SAE-AS33671
T50I0UVM4	
T50I9C2	SAE-AS81531, MS3367-7-9
T50I9M4	MS3367-5-9, SAE-AS81531
<b>T50L</b>	
T50L0UVC2	MS3367-5-0, SAE-AS33671
T50L0UVM4	
T50L1C2	MS3367-2-1, SAE-AS33671
T50L2C2	MS3367-2-2, SAE-AS33671
T50L2M4	
T50L3C2	MS3367-2-3, SAE-AS33671
T50L3M4	
T50L4C2	MS3367-2-4, SAE-AS33671
T50L4M4	
T50L5C2	MS3367-2-5, SAE-AS33671
T50L5M4	
T50L6C2	MS3367-2-6, SAE-AS33671
T50L6M4	
T50L8C2	MS3367-2-8, SAE-AS33671
T50L8M4	
T50L9C2	MS3367-5-9, SAE-AS81531
T50L9M4	MS3367-2-9, SAE-AS33671
<b>T50R</b>	
T50R0C2	MS3367-1-10
T50R0HSC2	
T50R0HSM4	
T50R0UVC2	MS3367-1-0, SAE-AS33671
T50R0UVM4	MS3367-5-0, SAE-AS33671
T50R10C2	MS3367-1-10
T50R10M4	
T50R1C2	MS3367-1-1, SAE-AS33671
T50R1M4	
T50R2C2	MS3367-1-2, SAE-AS33671
T50R2M4	
T50R3C2	MS3367-1-3, SAE-AS33671
T50R3M4	
T50R4C2	MS3367-1-4, SAE-AS33671
T50R4M4	
T50R5C2	MS3367-1-5, SAE-AS33671
T50R5M4	

Part No.	US MILSPEC
T50R6C2	MS3367-1-6, SAE-AS33671
T50R6M4	
T50R7C2	MS3367-1-7, SAE-AS33671
T50R7M4	
T50R8C2	MS3367-1-8, SAE-AS33671
T50R8M4	
T50R9C2	MS3367-5-9, SAE-AS81531
T50R9M4	MS3367-1-9, SAE-AS81531

### Routing, Protection and Insulation US Military Standards

Part No.	US MILSPEC
<b>BSHKLPFR120B</b>	
170-03153	MIL-STD-202
<b>BSHKLPFR340B</b>	
170-03154	MIL-STD-202
<b>BSHKLPFR1140B</b>	
170-03155	MIL-STD-202
<b>BSHKLPFR200B</b>	
170-03156	MIL-STD-202
<b>BSHKLPFR212B</b>	
170-03157	MIL-STD-202
<b>G51TC</b>	
251-30309	MS21266-3T
<b>G51TD</b>	
251-30409	MS21266-4T
<b>G51TE</b>	
251-30509	MS21266-5T
<b>G51TF</b>	
251-30609	MS21266-6T
<b>G51TG</b>	
251-30709	MS21266-7T
<b>G51TH</b>	
251-30809	MS21266-8T
<b>G51NA</b>	
FHA	MS21266-1N
<b>G51NB</b>	
FHB	MS21266-2N
<b>G51NC</b>	
FHC	MS21266-3N
<b>G51ND</b>	
FHD	MS21266-4N
<b>G51NE</b>	
FHE	MS21266-5N

### Routing, Protection and Insulation US Military Standards

Part No.	US MILSPEC
<b>G51NF</b>	
FHF	MS21266-6N
<b>G51NG</b>	
FHG	MS21266-7N
<b>G51TA</b>	
FTA	MS21266-1T
<b>G51TB</b>	
FTB	MS21266-2T

### Identification US Military Standards

Part No.	US MILSPEC
<b>HST3-1BK</b>	
553-50001	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST3-1WH</b>	
553-50002	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
553-50003	
<b>HST3-1WH-S</b>	
553-50004	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST3-1YE</b>	
553-50005	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
553-50006	
<b>HST3-1YE-S</b>	
553-50007	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST4.8-1.6BK</b>	
553-50008	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST4.8-1.6WH</b>	
553-50009	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
553-50010	
<b>HST4.8-1.6WH-S</b>	
553-50011	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST4.8-1.6YE</b>	
553-50012	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST4.8-1.6YE-S</b>	
553-50014	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST6-2BK</b>	
553-50015	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531

### Identification US Military Standards

Part No.	US MILSPEC
<b>HST6-2WH</b>	
553-50016	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
553-50017	
553-50018	
<b>HST6-2WH-S</b>	
553-50019	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST6-2YE</b>	
553-50020	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HTS6-2YE</b>	
553-50021	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST6-2YE-S</b>	
553-50022	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST9-3BK</b>	
553-50023	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST9-3WH</b>	
553-50024	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST9-3WH-S</b>	
553-50025	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST9-3YE</b>	
553-50026	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST9-3YE-S</b>	
553-50027	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST12-4BK</b>	
553-50028	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST12-4WH</b>	
553-50029	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST12-4WH-S</b>	
553-50030	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST12-4YE</b>	
553-50031	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST12-4YE-S</b>	
553-50032	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST18-6BK</b>	
553-50033	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531

### Identification US Military Standards

Part No.	US MILSPEC
<b>HST18-6WH</b>	
553-50034	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST18-6WH-S</b>	
553-50035	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST18-6YE</b>	
553-50036	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST18-6YE-S</b>	
553-50037	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST24-8BK</b>	
553-50038	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST24-8WH</b>	
553-50039	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST24-8WH-S</b>	
553-50040	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST24-8YE</b>	
553-50041	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST24-8YE-S</b>	
553-50042	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST3-1WH-3S</b>	
553-50063	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST4.8-1.6WH-3S</b>	
553-50064	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST6-2WH-3S</b>	
553-50065	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST9-3WH-3S</b>	
553-50066	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST3-1WH-S</b>	
553-50067	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST4.8-1.6WH-2S</b>	
553-50068	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST4.8-1.6YE-2S</b>	
553-50069	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531

Part No.	US MILSPEC
<b>HST3-1WH-2S</b>	
553-50070	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST3-1YE-2S</b>	
553-50071	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST4.8-1.6WH-2S</b>	
553-50072	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST4.8-1.6YE-2S</b>	
553-50073	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST3-1WH-S</b>	
553-50074	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST3-1WH-2S</b>	
553-50075	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST3-1YE-S</b>	
553-50076	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST3-1YE-2S</b>	
553-50077	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST3-1WH</b>	
553-50078	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST4.8-1.6WH</b>	
553-50079	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST4.8-1.6WH-S</b>	
553-50080	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST4.8-1.6WH-3S</b>	
553-50081	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST6-2WH-2S</b>	
553-50082	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST6-2YE-2S</b>	
553-50083	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST6-2WH-S</b>	
553-50084	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST6-2YE-S</b>	
553-50085	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531

## Identification US Military Standards

Part No.	US MILSPEC
<b>HST12-4WH-3S</b>	
553-50086	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST12-4YE-3S</b>	
553-50087	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST3-1WH-3S</b>	
553-50088	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST6-2WH-3S</b>	
553-50089	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST4.8-1.6WH</b>	
553-50090	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST4.8-1.6WH-S</b>	
553-50176	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST4.8-1.6WH</b>	
553-50177	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST6-2BK-3S</b>	
553-50178	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST3-1BK-S</b>	
553-50179	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST3-1BK-2S</b>	
553-50180	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST3-1BK-3S</b>	
553-50181	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST4.8-1.6BK-3S</b>	
553-50184	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST6-2BK-2S</b>	
553-50186	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST9-3BK-3S</b>	
553-50189	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST9-3WH</b>	
553-50192	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST12-4WH</b>	
553-50193	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531

Part No.	US MILSPEC
<b>HST4.8-1.6WH</b>	
553-50195	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST6-2WH</b>	
553-50196	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST18-6WH</b>	
553-50199	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST4.8-1.6WHAP</b>	
553-50203	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST6-2WHAP</b>	
553-50204	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST12-4WHAP</b>	
553-50206	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST39-13WH</b>	
553-50209	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST6-2YE-3S</b>	
553-50210	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST3-1WH-3S</b>	
553-50211	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST6-2WH-3S</b>	
553-50212	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST4.8-1.6WH-S</b>	
553-50213	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST18-6BK-S</b>	
553-50222	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST24-8BK-S</b>	
553-50223	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HFST39-13YE</b>	
553-50225	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HFST39-13WH-S</b>	
553-50226	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HFST39-13YE-S</b>	
553-50227	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531

### Identification US Military Standards

Part No.	US MILSPEC
<b>HST12-4WH</b>	
553-50231	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST12-4WH-S</b>	
553-50232	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST18-6WH</b>	
553-50233	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST18-6WH-S</b>	
553-50234	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST9-3WH</b>	
553-50236	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST24-8WH</b>	
553-50237	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST4.8-1YE-3S</b>	
553-50239	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST18-6YE</b>	
553-50240	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST18-6YE-S</b>	
553-50241	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST6-2WH-S</b>	
553-50242	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST12-4WH-S</b>	
553-50250	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>HST9-3WH-2S</b>	
553-50251	SAE-AMS-DTL-23053/5 Class 1 and 3, MIL-STD-202G Method 215K, SAE-AS81531
<b>TIPTAGVA10X65YEW</b>	
556-26006	MIL-STD-202G Method 215K, SAE-AS81531
<b>TIPTAGVA10X90YEW</b>	
556-26007	MIL-STD-202G Method 215K, SAE-AS81531
<b>TIPTAGVA15X65YEW</b>	
556-26008	MIL-STD-202G Method 215K, SAE-AS81531
<b>TIPTAGVA15X90YEW</b>	
556-26009	MIL-STD-202G Method 215K, SAE-AS81531
<b>PW.25W1P</b>	
596-96255	MIL-STD-202, MIL-STD-810G
<b>PW.50W2P</b>	
596-96256	MIL-STD-202, MIL-STD-810G

Part No.	US MILSPEC
<b>PW.75W2P</b>	
596-96258	MIL-STD-202, MIL-STD-810G
<b>PW.50W1P</b>	
596-96261	MIL-STD-202, MIL-STD-810G
<b>PW.75W1P</b>	
596-96263	MIL-STD-202, MIL-STD-810G

### Application Tools US Military Standards

Part No.	US MILSPEC
<b>EVO7</b>	
110-70083	MS90387-1, SAE-AS90387
<b>T18RA50</b>	
T18RA50	MS3367-4-9, SAE-AS33671
<b>T18RA5000</b>	
T18RA5000	MS3367-4-9, SAE-AS33671
<b>T30RA</b>	
T30RA30	MS3367-5-9, SAE-AS33671
T30RA3000	

### Electrical insulation US Military Standards

Part No.	US MILSPEC
<b>ET33</b>	
ET330	MIL-1-7798-A
<b>ET66</b>	
ET660	MIL-1-7798-A
<b>ETCW66</b>	
ETCW660	MIL-1-24391-A
<b>ETST66</b>	
ETST6610	MIL-1-7798-A
ETST662	
ETST663	
ETST664	
ETST665	
ETST666	
ETST668	

## Standards for HellermannTyton Bundling and Securing

Material	Color (short)	Specifications	File#	Material	Color (short)	Specifications	File#		
<b>CTAM1</b>				<b>CTQM5</b>					
PA66	BK	UL	E64139	PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E65344		
	WH	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B							
<b>CTAM2</b>				<b>CTT20R</b>					
PA66	BK	UL	E64139	PA66	BK	UL	E64139		
	WH	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B							
		UL							
PA66	BK	UL	E64139	PA66HS	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B			
	WH	UL-ZODZ2.E64139							
<b>CTAP1</b>				<b>CTT60R</b>					
PA66	BK	UL	E64139	PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E64139		
	WH	UL							
<b>CTAP2</b>				<b>GT.50X11</b>					
PA66	WH	UL-ZODZ2.E64139	E64139	PA66, PE	BK		E64139		
<b>CTM0</b>					PA66HIRHSUV			NA	UL
PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E64139		PA66HS			BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B
		UL-ZODZ2.E64139							
	NA	UL 62275							
	WH	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B							
UL-ZODZ2.E64139									
<b>CTM1</b>				<b>GT.50X12</b>					
PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E64139	PA6, PP	MN		E64139		
		UL 62275							
	WH	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B							
UL 62275									
<b>CTM2</b>				<b>GT.50X6</b>					
PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E64139	PA66, PE	BK		E64139		
		UL 62275							
	WH	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B							
		UL 62275							
<b>CTM3</b>					<b>GT.50X8</b>				
PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E64139	PA6, PP	MN		E64139		
		UL 62275							
	WH	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B							
		UL 62275							
<b>CTM4</b>									
PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E64139	PA66, PE	BK		E64139		
		UL 62275							
	WH	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B							
		UL 62275							

# Appendix

## Product Approvals and Specifications

### Standards for HellermannTyton Bundling and Securing

Material	Color (short)	Specifications	File#	Material	Color (short)	Specifications	File#	
<b>GT.75X15</b>				<b>IT50R</b>				
PA66, PE	BK		E64139	PA66	BK	UL	E64139	
	BU				ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B, CAGE Code 53421			
	GN					CAGE Code 53421, UL-ZODZ2.E64139		
	OG							
	RD				UL			
YE	CAGE Code 53421, UL-ZODZ2.E64139							
<b>GT.75X180</b>				<b>IT50RD</b>				
PA66, PE	BK		E64139	PA66	BK	UL	E64139	
	BU				ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B, CAGE Code 53421			
	GN					CAGE Code 53421, UL-ZODZ2.E64139		
	OG							
	RD			UL				
	WH							
YE								
<b>GT.75X180W</b>				<b>IT50RT</b>				
PA66, PE	BK		E64139	PA66	BK	UL	E64139	
<b>H6P</b>					NA	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B, CAGE Code 53421		
PA66	NA	NF EN 45545-2			YE	CAGE Code 53421, UL-ZODZ2.E64139		
<b>IT18FL</b>				<b>KR6/35</b>				
PA66	BK	UL	E64139	PA66UV	BK	IEC 62275:2006		
	BU			ANSI/UL 62275, CAN/CSA-C22.2 no. 62275	<b>KR8/21</b>			
	NA	UL			PA66	NA	IEC 62275:2006, NF EN 45545-2	
	OG				UL	PA66UV	BK	IEC 62275:2006
	RD	<b>KR8/33</b>						
	WH	PA66UV BK IEC 62275:2006						
YE	<b>MB1</b>							
<b>IT18R</b>				PA66	BK	UL		
PA66	BK	UL	E64139	PA66	NA			
	BU	CAGE Code 53421, UL-ZODZ2.E64139		<b>MB2.5</b>				
	GY			BK	PA66	WH	E64139	
	NA							
	OG			UL	<b>MB3</b>			
	RD	BK			PA66	WH	E64139	
	WH							UL
YE	CAGE Code 53421, UL-ZODZ2.E64139	<b>MB4</b>						
<b>IT50L</b>				PA66	BK	UL	E64139	
PA66	BK	CAGE Code 53421, UL-ZODZ2.E64139	E64139	PA66	WH			
	BU	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B, CAGE Code 53421		<b>MB4SH</b>				
	NA			PA66	WH	UL	E64139	
	OG	CAGE Code 53421, UL-ZODZ2.E64139		<b>MB5</b>				
YE			PA66	BK	UL	E64139		
			WH	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B				
					UL			



## Standards for HellermannTyton Bundling and Securing

Material	Color (short)	Specifications	File#	Material	Color (short)	Specifications	File#
<b>MBT14H</b>				<b>PBM</b>			
SS316	ML	IEC 60092, IEC 62275:2006		PA66	BK	UL	E64139
<b>MBT14S</b>					NA		
SS316	ML	IEC 62275:2006			WH		
<b>MBT14XH</b>				<b>PT220</b>			
SS316	ML	IEC 60092, IEC 62275:2006		PEEK	BGE	DIN EN 62275:2016-01, EN 62275:2009	
<b>MBT20H</b>				<b>PT2A</b>			
SS316	ML	IEC 60092, IEC 62275:2006		PEEK	BGE	DIN EN 62275:2010-07, EN 62275:2009	
<b>MBT20S</b>				<b>Q120I</b>			
SS316	ML	IEC 60092, IEC 62275:2006		PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E65344
<b>MBT20XH</b>					NA		
SS316	ML	IEC 60092		PA66HS	BK		
<b>MBT27H</b>					NA		
SS316	ML	IEC 60092, IEC 62275:2006		<b>Q120M</b>			
<b>MBT27S</b>				PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E65344
SS316	ML	IEC 60092, IEC 62275:2006			NA		
<b>MBT27XH</b>				PA66HS	BK		
SS316	ML	IEC 60092			NA		
<b>MBT33H</b>				<b>Q120R</b>			
SS316	ML	IEC 60092, IEC 62275:2006		PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E65344
<b>MBT33S</b>					NA		
SS316	ML	IEC 60092, IEC 62275:2006		PA66HS	BK		
<b>MBT33XH</b>					NA		
SS316	ML	IEC 60092		<b>Q18I</b>			
<b>MBT55</b>				PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E65344
SS316	ML	IEC 60092, IEC 62275:2006			NA		
<b>MBT8H</b>				PA66HS	BK		
SS316	ML	IEC 62275:2006			NA		
<b>MBT8S</b>				<b>Q18L</b>			
SS316	ML	IEC 60092, IEC 62275:2006		PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E65344
<b>MP3M3</b>					NA		
PA66	NA	NF EN 45545-2		PA66HS	BK		
<b>MP4M3</b>					NA		
PA66	NA	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E64963	<b>Q18R</b>			
<b>MSC2</b>				PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E65344
SS304	ML		E64139		NA		
<b>MSC2LP</b>				PA66HS	BK		
SS304	ML		E64139		NA		
<b>MSC90</b>				<b>Q30L</b>			
SS304	ML		E64139	PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E65344
<b>MSMP6/10</b>					NA		
PA66	NA		E64139	PA66HS	BK		
<b>MSMP6/6</b>					NA		
PA66	NA	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E64139				

# Appendix

## Product Approvals and Specifications

### Standards for HellermannTyton Bundling and Securing

Material	Color (short)	Specifications	File#	Material	Color (short)	Specifications	File#		
<b>Q30R</b>				<b>RCA180LM12</b>					
PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E65344	PA66HIRHSUV, ST, ZN	BK		E64139		
	NA			<b>RCA180LM12SS</b>					
PA66HS	BK			PA66HIRHSUV, SS304	BK		E64139		
	NA			<b>RCA180LM6</b>					
<b>Q50I</b>				<b>RCA180LM6SS</b>					
PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E65344	PA66HIRHSUV, ST, ZN	BK		E64139		
	NA			<b>RCA180LM6SS</b>					
PA66HS	BK			PA66HIRHSUV, SS304	BK		E64139		
	NA			<b>RCA180LM8</b>					
<b>Q50L</b>				<b>RCA180LM8SS</b>					
PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E65344	PA66HIRHSUV, ST, ZN	BK		E64139		
	NA			<b>RCA180MM10</b>					
PA66HS	BK			PA66HIRHSUV, SS304	BK		E64139		
	NA			<b>RCA180MM10SS</b>					
<b>Q50R</b>				<b>RCA180MM12</b>					
PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E65344	PA66HIRHSUV, ST, ZN	BK		E64139		
	NA			<b>RCA180MM12SS</b>					
PA66HS	BK			PA66HIRHSUV, SS304	BK		E64139		
	NA			<b>RCA180MM6</b>					
<b>QM20</b>				<b>RCA180MM6SS</b>					
PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E65344	PA66HIRHSUV, ST, ZN	BK		E64139		
	NA			<b>RCA180MM8</b>					
<b>RCA15SM10</b>				<b>RCA180MM8SS</b>					
PA66HIRHSUV, ST, ZN	BK				E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCA15SM10SS</b>				<b>RCA180SM10</b>					
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139		
<b>RCA15SM12</b>				<b>RCA180SM10SS</b>					
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, SS304	BK		E64139		
<b>RCA15SM12SS</b>				<b>RCA180SM12</b>					
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139		
<b>RCA15SM6</b>				<b>RCA180SM12SS</b>					
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, SS304	BK		E64139		
<b>RCA15SM6SS</b>				<b>RCA180SM6</b>					
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139		
<b>RCA15SM8</b>				<b>RCA180SM6SS</b>					
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, SS304	BK		E64139		
<b>RCA15SM8SS</b>				<b>RCA180LM10</b>					
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139		
<b>RCA180LM10</b>				<b>RCA180LM10SS</b>					
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, SS304	BK		E64139		
<b>RCA180LM10SS</b>				<b>RCA180SM12</b>					
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139		
<b>RCA180LM12</b>				<b>RCA180SM12SS</b>					
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, SS304	BK		E64139		
<b>RCA180LM12SS</b>				<b>RCA180SM6</b>					
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139		
<b>RCA180LM6</b>				<b>RCA180SM6SS</b>					
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, SS304	BK		E64139		
<b>RCA180LM6SS</b>				<b>RCA180SM8</b>					
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139		
<b>RCA180LM8</b>				<b>RCA180SM8SS</b>					
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, SS304	BK		E64139		
<b>RCA180LM8SS</b>				<b>RCA180SM10</b>					
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139		
<b>RCA180MM10</b>				<b>RCA180SM10SS</b>					
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, SS304	BK		E64139		
<b>RCA180MM10SS</b>				<b>RCA180SM12</b>					
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139		
<b>RCA180MM12</b>				<b>RCA180SM12SS</b>					
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, SS304	BK		E64139		
<b>RCA180MM12SS</b>				<b>RCA180SM6</b>					
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139		
<b>RCA180MM6</b>				<b>RCA180SM6SS</b>					
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, SS304	BK		E64139		
<b>RCA180MM6SS</b>				<b>RCA180SM8</b>					
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139		
<b>RCA180MM8</b>				<b>RCA180SM8SS</b>					
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, SS304	BK		E64139		
<b>RCA180MM8SS</b>				<b>RCA180SM10</b>					
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139		
<b>RCA180SM10</b>				<b>RCA180SM10SS</b>					
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, SS304	BK		E64139		
<b>RCA180SM10SS</b>				<b>RCA180SM12</b>					
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139		
<b>RCA180SM12</b>				<b>RCA180SM12SS</b>					
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, SS304	BK		E64139		
<b>RCA180SM12SS</b>				<b>RCA180SM6</b>					
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139		
<b>RCA180SM6</b>				<b>RCA180SM6SS</b>					
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, SS304	BK		E64139		
<b>RCA180SM6SS</b>				<b>RCA180SM8</b>					
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139		
<b>RCA180SM8</b>				<b>RCA180SM8SS</b>					
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, SS304	BK		E64139		
<b>RCA180SM8SS</b>				<b>RCA180SM10</b>					
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139		
<b>RCA180SM10</b>				<b>RCA180SM10SS</b>					
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, SS304	BK		E64139		
<b>RCA180SM10SS</b>				<b>RCA180SM12</b>					
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139		
<b>RCA180SM12</b>				<b>RCA180SM12SS</b>					
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, SS304	BK		E64139		
<b>RCA180SM12SS</b>				<b>RCA180SM6</b>					
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139		
<b>RCA180SM6</b>				<b>RCA180SM6SS</b>					
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, SS304	BK		E64139		
<b>RCA180SM6SS</b>				<b>RCA180SM8</b>					
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139		

## Standards for HellermannTyton Bundling and Securing

Material	Color (short)	Specifications	File#	Material	Color (short)	Specifications	File#
<b>RCA180SM8</b>				<b>RCA90LM12</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCA180SM8SS</b>				<b>RCA90LM12SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCA30LM10</b>				<b>RCA90LM6</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCA30LM10SS</b>				<b>RCA90LM6SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCA30LM12</b>				<b>RCA90LM8</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCA30LM12SS</b>				<b>RCA90LM8SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCA30LM6</b>				<b>RCA90SM10</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCA30LM6SS</b>				<b>RCA90SM10SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCA30LM8</b>				<b>RCA90SM12</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCA30LM8SS</b>				<b>RCA90SM12SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCA30SM10</b>				<b>RCA90SM6</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCA30SM10SS</b>				<b>RCA90SM6SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCA30SM12</b>				<b>RCA90SM8</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCA30SM12SS</b>				<b>RCA90SM8SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCA30SM6</b>				<b>RCB15SM10</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCA30SM6SS</b>				<b>RCB15SM10SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCA30SM8</b>				<b>RCB15SM12</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCA30SM8SS</b>				<b>RCB15SM12SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCA90LM10</b>				<b>RCB15SM6</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCA90LM10SS</b>				<b>RCB15SM6SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139

# Appendix

## Product Approvals and Specifications

### Standards for HellermannTyton Bundling and Securing

Material	Color (short)	Specifications	File#	Material	Color (short)	Specifications	File#
<b>RCB155M8</b>				<b>RCB180SM12</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCB155M8SS</b>				<b>RCB180SM12SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCB180LM10</b>				<b>RCB180SM6</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCB180LM10SS</b>				<b>RCB180SM6SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCB180LM12</b>				<b>RCB180SM8</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCB180LM12SS</b>				<b>RCB180SM8SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCB180LM6</b>				<b>RCB30LM10</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCB180LM6SS</b>				<b>RCB30LM10SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCB180LM8</b>				<b>RCB30LM12</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCB180LM8SS</b>				<b>RCB30LM12SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCB180MM10</b>				<b>RCB30LM6</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCB180MM10SS</b>				<b>RCB30LM6SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCB180MM12</b>				<b>RCB30LM8</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCB180MM12SS</b>				<b>RCB30LM8SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCB180MM6</b>				<b>RCB30SM10</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCB180MM6SS</b>				<b>RCB30SM10SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCB180MM8</b>				<b>RCB30SM12</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCB180MM8SS</b>				<b>RCB30SM12SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCB180SM10</b>				<b>RCB30SM6</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCB180SM10SS</b>				<b>RCB30SM6SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139

## Standards for HellermannTyton Bundling and Securing

Material	Color (short)	Specifications	File#	Material	Color (short)	Specifications	File#
<b>RCB30SM8</b>				<b>RCC15SM12</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCB30SM8SS</b>				<b>RCC15SM12SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCB90LM10</b>				<b>RCC15SM6</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCB90LM10SS</b>				<b>RCC15SM6SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCB90LM12</b>				<b>RCC15SM8</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCB90LM12SS</b>				<b>RCC15SM8SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCB90LM6</b>				<b>RCC180LM10</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCB90LM6SS</b>				<b>RCC180LM10SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCB90LM8</b>				<b>RCC180LM12</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCB90LM8SS</b>				<b>RCC180LM12SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCB90SM10</b>				<b>RCC180LM6</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCB90SM10SS</b>				<b>RCC180LM6SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCB90SM12</b>				<b>RCC180LM8</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCB90SM12SS</b>				<b>RCC180LM8SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCB90SM6</b>				<b>RCC180MM10</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCB90SM6SS</b>				<b>RCC180MM10SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCB90SM8</b>				<b>RCC180MM12</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCB90SM8SS</b>				<b>RCC180MM12SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCC15SM10</b>				<b>RCC180MM6</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCC15SM10SS</b>				<b>RCC180MM6SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139

# Appendix

## Product Approvals and Specifications

### Standards for HellermannTyton Bundling and Securing

Material	Specifications	File#
<b>1FRP</b>		
PE-FR		E147924
<b>1N</b>		
PA6		E147924
<b>1NFP</b>		
PE		E147924
<b>1P</b>		
PTFE		E147924
<b>2.5FRP</b>		
PE-FR		E147924
<b>2.5N</b>		
PA6		E147924
<b>2.5NFP</b>		
PE		E147924
<b>2.5P</b>		
PTFE		E147924
<b>2FRP</b>		
PE-FR		E147924
<b>2N</b>		
PA6		E147924
<b>2NFP</b>		
PE		E147924
<b>2P</b>		
PTFE		E147924
<b>3FRP</b>		
PE-FR		E147924
<b>3N</b>		
PA6		E147924
<b>3NFP</b>		
PE		E147924
<b>3P</b>		
PTFE		E147924
<b>4FRP</b>		
PE-FR		E147924
<b>4N</b>		
PA6		E147924
<b>4NFP</b>		
PE		E147924
<b>4P</b>		
PTFE		E147924
<b>5FRP</b>		
PE-FR		E147924
<b>5N</b>		
PA6		E147924
<b>5NFP</b>		
PE		E147924
<b>5P</b>		
PTFE		E147924
<b>BSHKLP1140B</b>		
PET		E147924

Material	Specifications	File#
<b>BSHKLP120B</b>		
PET		E147924
<b>BSHKLP200B</b>		
PET		E147924
<b>BSHKLP212B</b>		
PET		E147924
<b>BSHKLP340B</b>		
PET		E147924
<b>BSHKLPR1140B</b>		
PET	MIL-STD 202, UL	E147924
<b>BSHKLPR120B</b>		
PET	MIL-STD 202, UL	E147924
<b>BSHKLPR200B</b>		
PET	MIL-STD 202, UL	E147924
<b>BSHKLPR212B</b>		
PET	MIL-STD 202, UL	E147924
<b>BSHKLPR340B</b>		
PET	MIL-STD 202, UL	E147924
<b>BSHTFG100</b>		
GF		E147924
<b>BSHTFG100B</b>		
GF		E147924
<b>BSHTFG120</b>		
GF		E147924
<b>BSHTFG120B</b>		
GF		E147924
<b>BSHTFG140</b>		
GF		E147924
<b>BSHTFG140B</b>		
GF		E147924
<b>BSHTFG340</b>		
GF		E147924
<b>BSHTFG340B</b>		
GF		E147924
<b>BSP100</b>		
PET		E147924
<b>BSP100B</b>		
PET		E147924
<b>BSP103B</b>		
PET		E147924
<b>BSP1120</b>		
PET		E147924
<b>BSP1123B</b>		
PET		E147924
<b>BSP1140</b>		
PET		E147924
<b>BSP1140B</b>		
PET		E147924
<b>BSP1143B</b>		
PET		E147924

## Standards for HellermannTyton Bundling and Securing

Material	Color (short)	Specifications	File#	Material	Color (short)	Specifications	File#
<b>RCC180MM8</b>				<b>RCC305M12</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCC180MM8SS</b>				<b>RCC305M12SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCC1805M10</b>				<b>RCC305M6</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCC1805M10SS</b>				<b>RCC305M6SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCC1805M12</b>				<b>RCC305M8</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCC1805M12SS</b>				<b>RCC305M8SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCC1805M6</b>				<b>RCC90LM10</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCC1805M6SS</b>				<b>RCC90LM10SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCC1805M8</b>				<b>RCC90LM12</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCC1805M8SS</b>				<b>RCC90LM12SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCC30LM10</b>				<b>RCC90LM6</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCC30LM10SS</b>				<b>RCC90LM6SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCC30LM12</b>				<b>RCC90LM8</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCC30LM12SS</b>				<b>RCC90LM8SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCC30LM6</b>				<b>RCC905M10</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCC30LM6SS</b>				<b>RCC905M10SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCC30LM8</b>				<b>RCC905M12</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCC30LM8SS</b>				<b>RCC905M12SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCC305M10</b>				<b>RCC905M6</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCC305M10SS</b>				<b>RCC905M6SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139

# Appendix

## Product Approvals and Specifications

### Standards for HellermannTyton Bundling and Securing

Material	Color (short)	Specifications	File#	Material	Color (short)	Specifications	File#
<b>RCC90SM8</b>				<b>RCD180MM12</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCC90SM8SS</b>				<b>RCD180MM12SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCD15SM10</b>				<b>RCD180MM6</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCD15SM10SS</b>				<b>RCD180MM6SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCD15SM12</b>				<b>RCD180MM8</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCD15SM12SS</b>				<b>RCD180MM8SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCD15SM6</b>				<b>RCD180SM10</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCD15SM6SS</b>				<b>RCD180SM10SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCD15SM8</b>				<b>RCD180SM12</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCD15SM8SS</b>				<b>RCD180SM12SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCD180LM10</b>				<b>RCD180SM6</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCD180LM10SS</b>				<b>RCD180SM6SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCD180LM12</b>				<b>RCD180SM8</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCD180LM12SS</b>				<b>RCD180SM8SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCD180LM6</b>				<b>RCD30LM10</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCD180LM6SS</b>				<b>RCD30LM10SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCD180LM8</b>				<b>RCD30LM12</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCD180LM8SS</b>				<b>RCD30LM12SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCD180MM10</b>				<b>RCD30LM6</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCD180MM10SS</b>				<b>RCD30LM6SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139



## Standards for HellermannTyton Bundling and Securing

Material	Color (short)	Specifications	File#	Material	Color (short)	Specifications	File#
<b>RCD30LM8</b>				<b>RCD90SM12</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCD30LM8SS</b>				<b>RCD90SM12SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCD30SM10</b>				<b>RCD90SM6</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCD30SM10SS</b>				<b>RCD90SM6SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCD30SM12</b>				<b>RCD90SM8</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66HIRHSUV, ST, ZN	BK		E64139
<b>RCD30SM12SS</b>				<b>RCD90SM8SS</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66HIRHSUV, SS304	BK		E64139
<b>RCD30SM6</b>				<b>RCINSERTA</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	TPE	BK		E64139
<b>RCD30SM6SS</b>				<b>RCINSERTB</b>			
PA66HIRHSUV, SS304	BK		E64139	TPE	BK		E64139
<b>RCD30SM8</b>				<b>RCINSERTC</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	TPE	BK		E64139
<b>RCD30SM8SS</b>				<b>RCINSERTD</b>			
PA66HIRHSUV, SS304	BK		E64139	TPE	BK		E64139
<b>RCD90LM10</b>				<b>RF140</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66	BK	ANSI/UL 1565, ANSI/UL 62275	E64962
<b>RCD90LM10SS</b>				<b>RT250I</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66	BK NA	UL-ZODZ2.E64139	E64139
<b>RCD90LM12</b>				<b>RT250L</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66	BK NA	UL-ZODZ2.E64139	E64139
<b>RCD90LM12SS</b>				<b>RT250M</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66	BK NA	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B, IEC 60092 series	E64139
<b>RCD90LM6</b>				<b>RT250R</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66	BK NA	UL-ZODZ2.E64139	E64139
<b>RCD90LM6SS</b>				<b>RT250S</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66	BK NA	UL UL-ZODZ2.E64139	E64139
<b>RCD90LM8</b>				<b>RT250S</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66	BK NA	UL UL-ZODZ2.E64139	E64139
<b>RCD90LM8SS</b>				<b>RT250S</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66	BK NA	UL UL-ZODZ2.E64139	E64139
<b>RCD90SM10</b>				<b>RT250S</b>			
PA66HIRHSUV, ST, ZN	BK		E64139	PA66	BK NA	UL UL-ZODZ2.E64139	E64139
<b>RCD90SM10SS</b>				<b>RT250S</b>			
PA66HIRHSUV, SS304	BK		E64139	PA66UV	BK	UL	

# Appendix

## Product Approvals and Specifications

### Standards for HellermannTyton Bundling and Securing

Material	Color (short)	Specifications	File#
<b>RT250XL</b>			
PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E64139
	NA		
PA66UV	BK	UL	
<b>RT255R</b>			
PA66HIRHSUV	BK	UL-ZODZ2.E64139	E64139
<b>RT255S</b>			
PA66HIRHSUV	BK	UL-ZODZ2.E64139	E64139
<b>RT40R</b>			
PA66	BK	UL-ZODZ2.E64139	E64139
	NA		
<b>RT50LL</b>			
PA66	BK	UL-ZODZ2.E64139	E64139
	NA		
<b>RT50S</b>			
PA66	BK	UL-ZODZ2.E64139	E64139
	NA		
<b>T120I</b>			
PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E64139
	NA		
PA66HIRHSUV	BK	UL-ZODZ2.E64139	
PA66HS			
PA66UV			E64139
<b>T120L</b>			
PA66	BK	UL-ZODZ2.E64139	E64139
	NA	CAGE Code 53421, UL-ZODZ.E64139	
PA66HS	BK	UL-ZODZ2.E64139, VG U48/04103	E64139
PA66UV		CAGE Code 53421, CAN/CSA-C22.2 no. 62275, VG 95387 Part 4 Edition: 2008-12	
<b>T120MR</b>			
PA66	BK	ANSI/UL 62275	E64139
	NA	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	
<b>T120R</b>			
E/TFE	BU	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E193818
PA66	BK	UL-ZODZ2.E64139	E64139
	NA	BACS38K, CAGE Code 53421, UL-ZODZ.E64139	
		CAGE Code 53421, UL-ZODZ.E64139	
<b>T120R(U)</b>			
PA66	BK	UL-ZODZ2.E64139	E64139
	NA		
PA66UV	BK	UL-ZODZ2.E64139	
<b>T150L</b>			
PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E64139
	NA		
PA66HS	BK		
PA66UV			
<b>T150LL</b>			
PA66	BK	UL-ZODZ2.E64139	E64139
	NA		
PA66UV	BK		
<b>T150M</b>			
PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E64139
	NA		
PA66HS	BK		
PA66UV			
<b>T150R(U)</b>			
PA66	BK	UL-ZODZ2.E64139	E64139
	NA		
PA66UV	BK	UL-ZODZ2.E64139	
<b>T150XL</b>			
PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E64139
	NA		
PA66HS	BK		
PA66UV			
<b>T150XLL</b>			
PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E64139
	NA		
PA66UV	BK		

## Standards for HellermannTyton Bundling and Securing

Material	Color (short)	Specifications	File#	Material	Color (short)	Specifications	File#
<b>T18I</b>				<b>T18R</b>			
PA66	BK	UL-ZODZ2.E64139	E64139	PA66HS	BK	UL-ZODZ2.E64139	E64139
	NA	IEC 62275:2006		CAGE Code 53421, VG 95387 Part 4 Edition: 2008-12			
PA66HS	BK	UL-ZODZ2.E64139		PA66UV		CAGE Code 53421, UL-ZODZ2.E64139, VG 95387 Part 4 Edition: 2008-12	
PA66V0	NA			PA66V0		ANSI/UL 62275, CAN/CSA-C22.2 no. 62275	
<b>T18L</b>				<b>T18RWPM</b>			
PA66	BK	UL-ZODZ2.E64139	E64139	PA66	NA	UL	E64139
	NA			UL-ZODZ2.E64139			
PA66HS	BK			UL	PA66HS	BK	UL
PA66V0	NA				<b>T18S</b>		
<b>T18MR</b>				PA66	BK	IEC 62275:2006	E64139
PA66	BK	UL	E64139	NA	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B		
PA66HS	BK				PA66HS	BK	IEC 62275:2006, UL-ZODZ2.E64139, VG U48/04103
<b>T18R</b>				<b>T250I</b>			
E/TFE	BU	ANSI/UL 1565, ANSI/UL 62275, IEC 62275:2006	E64962	PA66	NA	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E64139
PA66	BK	CAGE Code 53421, UL-ZODZ.E64139	E64139	<b>T250L</b>			
	BN			CAGE Code 53421	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E64139
	BU	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E85319	NA	UL-ZODZ2.E64139		
		GN	CAGE Code 53421, UL-ZODZ.E64139	E64139	<b>T250M</b>		
	GY	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B, IEC 62275:2006	E85319	PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E64139
		UL-ZODZ2.E64139	E64139	PA66HIRHSUV	BK	UL-ZODZ2.E64139	
	NA		PA66UV	<b>T250R</b>			
	OG	CAGE Code 53421, UL-ZODZ.E64139	E64139	PA66	BK	UL-ZODZ2.E64139	E64139
	PE			ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B, IEC 62275:2006	NA	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	
	RD	UL-ZODZ2.E64139	E64139	PA66HIRHSUV	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	
	WH	CAGE Code 53421, UL-ZODZ.E64139	E64139	<b>T250S</b>			
	YE	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B, IEC 62275:2006	E85319	PA66	BK	UL-ZODZ2.E64139	E64139
				NA	UL-ZODZ2.E64139		
<b>T250XL</b>				PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E64139
PA66	NA		PA66HIRHSUV	BK			
<b>T255M</b>				<b>T255R</b>			
PA66HIRHSUV	BK	UL-ZODZ2.E64139	E64139	PA66HIRHSUV	BK	UL-ZODZ2.E64139	E64139
<b>T255S</b>				<b>T255S</b>			
PA66HIRHSUV	BK		E64139	PA66HIRHSUV	BK		E64139

# Appendix

## Product Approvals and Specifications

### Standards for HellermannTyton Bundling and Securing

Material	Color (short)	Specifications	File#
<b>T30L</b>			
PA66	BK	UL-ZODZ2.E64139	E64139
	NA		
PA66UV	BK		
<b>T30LL</b>			
PA66	BK	2011/65/EU article 4, 2014/35/EU, UL-ZODZ2.E64139	E64139
	NA		
PA66HS	BK	UL-ZODZ2.E64139	
<b>T30MR</b>			
PA66	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	E64139
		UL-ZODZ2.E64139	
	NA	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B	
		UL	
PA66HS	BK		
<b>T30R</b>			
E/TFE	BU	ANSI/UL 1565, ANSI/UL 62275	E64962
PA66	BK	CAGE Code 53421, UL-ZODZ.E64139	E64139
	BN		
	BU		
	GN		
	GY		
	NA	CAGE Code 53421, IEC 62275:2006, VG 95387 Part 4 Edition: 2008-12	
	OG	CAGE Code 53421, UL-ZODZ.E64139	
	PE		
	RD		
	WH	UL-ZODZ2.E64139	
YE	CAGE Code 53421, UL-ZODZ.E64139		
PA66HIRHSUV	BK	UL-ZODZ2.E64139	E64139
PA66HS			
PA66UV			
PA66V0			
PA66V0			
<b>T30RSF(U)</b>			
PA66	NA	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B, CAN/CSA-C22.2 no. 18.5, CAN/CSA-C22.2 no. 62275	E64139
PA66HS	BK	UL-ZODZ2.E64139	

Material	Color (short)	Specifications	File#	
<b>T30XL</b>				
PA66	BK	2011/65/EU article 4, 2014/35/EU, UL-ZODZ2.E64139	E64139	
	NA			
<b>T40I</b>				
PA66	BK	2011/65/EU article 4, 2014/35/EU, UL-ZODZ2.E64139	E64139	
	NA			
<b>T40L</b>				
PA66	BK	UL-ZODZ2.E64139	E64139	
	NA			
PA66HS	BK			
<b>T40R(U)</b>				
PA66	BK	UL-ZODZ2.E64139	E64139	
	NA			
PA66HS	BK			
<b>T50I</b>				
PA66	BK	UL-ZODZ2.E64139	E64139	
	NA	BACS38K, CAGE Code 53421, VG 95387 Part 4 Edition: 2008-12		
		CAGE Code 53421, VG 95387 Part 4 Edition: 2008-12		
PA66HIRHSUV				
PA66HS		UL-ZODZ2.E64139, VG U48/04103		
PA66UV	BK	BACS38K, CAGE Code 53421, UL-ZODZ2.E64139, VG 95387 Part 4 Edition: 2008-12		
		CAGE Code 53421, UL-ZODZ2.E64139, VG 95387 Part 4 Edition: 2008-12		
PA66V0	NA	UL-ZODZ2.E64139		
<b>T50IDH</b>				
PA66	BK	UL-ZODZ2.E64139		E64139
	NA			
PA66HS	BK	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B		
PA66UV				
PA66UV				

## Standards for HellermannTyton Bundling and Securing

Material	Color (short)	Specifications	File#	Material	Color (short)	Specifications	File#		
<b>T50L</b>				<b>T50R</b>					
E/TFE	BU	ANSI/UL 1565, ANSI/UL 62275	E64962	PA66	BK	CAGE Code 53421, UL-ZODZ.E64139	E64139		
PA66	BK	UL-ZODZ2.E64139	E64139		BN				
	BN	CAGE Code 53421, UL-ZODZ.E64139			BU				
	BU				GN				
	GN				GY				
	GY				NA	BACS38K, CAGE Code 53421, VG 95387 Part 4 Edition: 2008-12			
	OG	CAGE Code 53421, UL-ZODZ.E64139			OG	CAGE Code 53421, UL-ZODZ.E64139	E64139		
	RD	UL-ZODZ2.E64139			PE	CAGE Code 53421, UL-ZODZ.E64139			
	WH				RD				
YE	CAGE Code 53421, UL-ZODZ.E64139	WH	UL-ZODZ2.E64139						
PA66HIRHSUV	BK	UL-ZODZ2.E64139, VG 95387 Part 4 Edition: 2008-12	E64139		PA66HIRHSUV	UL-ZODZ2.E64139	E64139		
PA66HS					PA66HS	UL-ZODZ2.E64139			
PA66UV					BACS38K, CAGE Code 53421, UL-ZODZ2.E64139, VG 95387 Part 4 Edition: 2008-12	CAGE Code 53421, UL-ZODZ2.E64139, VG 95387 Part 4 Edition: 2008-12		PA66UV	BK
				CAGE Code 53421, UL-ZODZ2.E64139, VG 95387 Part 4 Edition: 2008-12					
PA66V0	NA	UL-ZODZ2.E64139	PA66V0	NA	UL-ZODZ2.E64139				
<b>T50LDH</b>				<b>T50RDH</b>					
PA66	BK	UL-ZODZ2.E64139	E64139	PA66	BK	UL	E64139		
	NA	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B		PA66HS	NA				
PA66HS	BK	UL-ZODZ2.E64139	PA66UV	BK	UL				
<b>T50ML</b>				<b>T50ROS</b>					
PA66	BK	UL	E64139	PA66HS	BK	DIN EN 45545-2			
	NA	ANSI/UL 1565, ANSI/UL 62275, ANSI/UL 746B		<b>T50RSF(U)</b>	PA66	NA	UL-ZODZ2.E64139	E64139	
		UL-ZODZ2.E64139		PA66HS	BK				
PA66HS	BK		<b>T50S</b>	PA66	BK	2011/65/EU article 4, 2014/35/EU, UL-ZODZ2.E64139	E64139		
<b>T50MR</b>				PA66	NA				
PA66	BK	UL-ZODZ2.E64139	E64139	<b>T50SDH</b>					
	NA			PA66	BK	E64139			
<b>T50R</b>				PA66	NA				
E/TFE	BU	ANSI/UL 1565, ANSI/UL 62275	E64962	<b>T50SSF</b>					
				PA66	NA	E64139			
				PA66HS	BK				
				<b>TM1SF</b>					
				PA66	BK	DIN EN 45545-2	E64139		
					NA				
					WH				

# Appendix

## Product Approvals and Specifications

### Standards for HellermannTyton Routing Protection Insulation

Material	Specifications	File#
<b>BSP120</b>		
PET		E147924
<b>BSP120B</b>		
PET		E147924
<b>BSP123B</b>		
PET		E147924
<b>BSP140</b>		
PET		E147924
<b>BSP140B</b>		
PET		E147924
<b>BSP143B</b>		
PET		E147924
<b>BSP180</b>		
PET		E147924
<b>BSP180B</b>		
PET		E147924
<b>BSP200B</b>		
PET		E147924
<b>BSP340</b>		
PET		E147924
<b>BSP340B</b>		
PET		E147924
<b>BSP343B</b>		
PET		E147924
<b>BSPFR100B</b>		
PET	UL 94 VW-1	E147924
<b>BSPFR1120</b>		
PET	UL 94 VW-1	E147924
<b>BSPFR1120B</b>		
PET	UL 94 VW-1	E147924
<b>BSPFR1128</b>		
PET	UL 94 VW-1	E147924
<b>BSPFR1140</b>		
PET	UL 94 VW-1	E147924
<b>BSPFR1140B</b>		
PET	UL 94 VW-1	E147924
<b>BSPFR120</b>		
PET	UL 94 VW-1	E147924
<b>BSPFR120B</b>		
PET	UL 94 VW-1	E147924
<b>BSPFR128</b>		
PET	UL 94 VW-1	E147924
<b>BSPFR140</b>		
PET	UL 94 VW-1	E147924
<b>BSPFR140B</b>		
PET	UL 94 VW-1	E147924
<b>BSPFR148</b>		
PET	UL 94 VW-1	E147924
<b>BSPFR180B</b>		
PET	UL 94 VW-1	E147924

Material	Specifications	File#
<b>BSPFR188</b>		
PET	UL 94 VW-1	E147924
<b>BSPFR340</b>		
PET	UL 94 VW-1	E147924
<b>BSPFR340B</b>		
PET	UL 94 VW-1	E147924
<b>BSPFR348</b>		
PET	UL 94 VW-1	E147924
<b>BSPFR380</b>		
PET	UL 94 VW-1	E147924
<b>BSPSC100</b>		
PET		E147924
<b>BSPSC1120</b>		
PET		E147924
<b>BSPSC1140</b>		
PET		E147924
<b>BSPSC120</b>		
PET		E147924
<b>BSPSC140</b>		
PET		E147924
<b>BSPSC180</b>		
PET		E147924
<b>BSPSC340</b>		
PET		E147924
<b>BSPSW100</b>		
PET		E147924
<b>BSPSW100B</b>		
PET		E147924
<b>BSPSW100LB</b>		
PET		E147924
<b>BSPSW103B</b>		
PET		E147924
<b>BSPSW1120B</b>		
PET		E147924
<b>BSPSW1120LB</b>		
PET		E147924
<b>BSPSW1123B</b>		
PET		E147924
<b>BSPSW1140</b>		
PET		E147924
<b>BSPSW1140B</b>		
PET		E147924
<b>BSPSW1140LB</b>		
PET		E147924
<b>BSPSW1143B</b>		
PET		E147924
<b>BSPSW120</b>		
PET		E147924
<b>BSPSW120B</b>		
PET		E147924

## Standards for HellermannTyton Routing Protection Insulation

Material	Specifications	File#
<b>BSPSW120LB</b>		
PET		E147924
<b>BSPSW123B</b>		
PET		E147924
<b>BSPSW140</b>		
PET		E147924
<b>BSPSW140B</b>		
PET		E147924
<b>BSPSW140LB</b>		
PET		E147924
<b>BSPSW143B</b>		
PET		E147924
<b>BSPSW180B</b>		
PET		E147924
<b>BSPSW180LB</b>		
PET		E147924
<b>BSPSW200B</b>		
PET		E147924
<b>BSPSW200LB</b>		
PET		E147924
<b>BSPSW203B</b>		
PET		E147924
<b>BSPSW340</b>		
PET		E147924
<b>BSPSW340B</b>		
PET		E147924
<b>BSPSW340LB</b>		
PET		E147924
<b>BSPSW343B</b>		
PET		E147924
<b>BSPSW380LB</b>		
PET		E147924
<b>BSSCFR100</b>		
PET		E147924
<b>BSSCFR100B</b>		
PET		E147924
<b>BSSCFR1120</b>		
PET		E147924
<b>BSSCFR1120B</b>		
PET		E147924
<b>BSSCFR1140</b>		
PET		E147924
<b>BSSCFR1140B</b>		
PET		E147924
<b>BSSCFR120</b>		
PET		E147924
<b>BSSCFR120B</b>		
PET		E147924
<b>BSSCFR140</b>		
PET		E147924

Material	Specifications	File#
<b>BSSCFR140B</b>		
PET		E147924
<b>BSSCFR180B</b>		
PET		E147924
<b>BSSCFR340</b>		
PET		E147924
<b>BSSCFR340B</b>		
PET		E147924
<b>BSSWFR100B</b>		
PET		E147924
<b>BSSWFR1120B</b>		
PET		E147924
<b>BSSWFR1140B</b>		
PET		E147924
<b>BSSWFR120B</b>		
PET		E147924
<b>BSSWFR140B</b>		
PET		E147924
<b>BSSWFR180B</b>		
PET		E147924
<b>BSSWFR200B</b>		
PET		E147924
<b>BSSWFR340B</b>		
PET		E147924
<b>BSSWV100B</b>		
PET		E147924
<b>BSSWV1120B</b>		
PET		E147924
<b>BSSWV120B</b>		
PET		E147924
<b>BSSWV340B</b>		
PET		E147924
<b>BSSWV380B</b>		
PET		E147924
<b>BSSWV580B</b>		
PET		E147924
<b>DV1</b>		
PVC	EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	
<b>DV1.5</b>		
PVC	EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	
<b>DV2</b>		
PVC	EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	
<b>DV3</b>		
PVC	EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	
<b>DV4</b>		
PVC	EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	

# Appendix

## Product Approvals and Specifications

### Standards for HellermannTyton Routing Protection Insulation

Material	Specifications	File#
<b>G51NA</b>		
PA6	NASM21266	
<b>G51NB</b>		
PA6	NASM21266	
<b>G51NC</b>		
PA6	NASM21266	
<b>G51ND</b>		
PA6	NASM21266	
<b>G51NE</b>		
PA6	NASM21266	
<b>G51NF</b>		
PA6	NASM21266	
<b>G51NG</b>		
PA6	NASM21266	
<b>HEGPA6604</b>		
PA66	EN 45545-2:2013	
<b>HEGPA6606</b>		
PA66	EN 45545-2:2013	
<b>HEGPA6608</b>		
PA66	EN 45545-2:2013	
<b>HEGPA6610</b>		
PA66	EN 45545-2:2013	
<b>HEGPA6612</b>		
PA66	EN 45545-2:2013	
<b>HEGPA6620</b>		
PA66	EN 45545-2:2013	
<b>HEGPA6625</b>		
PA66	EN 45545-2:2013	
<b>HEGPA6630</b>		
PA66	EN 45545-2:2013	
<b>HEGPA6650</b>		
PA66	EN 45545-2:2013	
<b>HG038-45-0500</b>		
PA66		E229161
<b>HG038-90-0500</b>		
PA66		E229161
<b>HG038-HG038</b>		
PA66		E229161
<b>HG038-R050</b>		
PA66		E229161
<b>HG038-S-0380</b>		
PA66		E229161
<b>HG038-S-0500</b>		
PA66		E229161
<b>HG038-S-M16</b>		
PA66		E229161
<b>HG038-T</b>		
PA66		E229161
<b>HG050-45-0500</b>		
PA66		E229161

Material	Specifications	File#
<b>HG050-90-0500</b>		
PA66		E229161
<b>HG050-HG050</b>		
PA66		E229161
<b>HG050-R075</b>		
PA66		E229161
<b>HG050-S-0500</b>		
PA66		E229161
<b>HG050-T</b>		
PA66		E229161
<b>HG075-45-0750</b>		
PA66		E229161
<b>HG075-90-0750</b>		
PA66		E229161
<b>HG075-HG075</b>		
PA66		E229161
<b>HG075-R100</b>		
PA66		E229161
<b>HG075-S-0750</b>		
PA66		E229161
<b>HG075-T</b>		
PA66		E229161
<b>HG100-45-1000</b>		
PA66		E229161
<b>HG100-90-1000</b>		
PA66		E229161
<b>HG100-HG100</b>		
PA66		E229161
<b>HG100-S-1000</b>		
PA66		E229161
<b>HG100-T</b>		
PA66		E229161
<b>HG125-45-1500</b>		
PA66		E229161
<b>HG125-90-1250</b>		
PA66		E229161
<b>HG125-90-1500</b>		
PA66		E229161
<b>HG125-HG125</b>		
PA66		E229161
<b>HG125-S-1250</b>		
PA66		E229161
<b>HG125-S-1500</b>		
PA66		E229161
<b>HG125-T</b>		
PA66		E229161
<b>HG150-45-1500</b>		
PA66		E229161



## Standards for HellermannTyton Routing Protection Insulation

Material	Specifications	File#
<b>HG150-90-1500</b>		
PA66		E229161
<b>HG150-HG150</b>		
PA66		E229161
<b>HG150-S-1500</b>		
PA66		E229161
<b>HG150-S-2000</b>		
PA66		E229161
<b>HG200-90-2000</b>		
PA66		E229161
<b>HG200-S-2000</b>		
PA66		E229161
<b>HG-FR0380</b>		
PA6FR		E229161
<b>HG-FR0500</b>		
PA6FR		E229161
<b>HG-FR0750</b>		
PA6FR		E229161
<b>HG-FR1000</b>		
PA6FR		E229161
<b>HG-FR1250</b>		
PA6FR		E229161
<b>HG-FR1500</b>		
PA6FR		E229161
<b>HG-HI0310</b>		
PA12		E229161
<b>HG-HI0380</b>		
PA12		E229161
<b>HG-HI0500</b>		
PA12		E229161
<b>HG-HI0750</b>		
PA12		E229161
<b>HG-HI1000</b>		
PA12		E229161
<b>HG-HI1250</b>		
PA12		E229161
<b>HG-HI1500</b>		
PA12		E229161
<b>HG-HI2000</b>		
PA12		E229161
<b>HG-HISL0380</b>		
PA12		E229161
<b>HGL038-90-0500</b>		
PA66		E247502
<b>HGL038-S-0380</b>		
PA66		E229161
<b>HGL038-T</b>		
PA66		E247502
<b>HGL050-45-0500</b>		
PA66		E247502

Material	Specifications	File#
<b>HGL050-90-0500</b>		
PA66		E247502
<b>HGL050-S-0500</b>		
PA66		E246572
<b>HGL050-T</b>		
PA66		E247502
<b>HGL075-45-0750</b>		
PA66		E247502
<b>HGL075-90-0750</b>		
PA66		E247502
<b>HGL075-S-0750</b>		
PA66		E246572
<b>HGL075-T</b>		
PA66		E247502
<b>HGL075-Y050</b>		
PA66		E247502
<b>HGL100-45-1000</b>		
PA66		E247502
<b>HGL100-90-1000</b>		
PA66		E247502
<b>HGL100-S-1000</b>		
PA66		E246572
<b>HGL100-T</b>		
PA66		E247502
<b>HGL125-90-1250</b>		
PA66		E247502
<b>HGL125-S-1250</b>		
PA66		E246572
<b>HGL125-T</b>		
PA66		E247502
<b>HGL150-45-1500</b>		
PA66		E247502
<b>HGL150-90-1500</b>		
PA66		E247502
<b>HGL150-S-1500</b>		
PA66		E246572
<b>HGL200-S-2000</b>		
PA66		E246572
<b>HG-LW0250</b>		
PA6		E229161
<b>HG-LW0380</b>		
PA6		E229161
<b>HG-LW0500</b>		
PA6		E229161
<b>HG-LW0750</b>		
PA6		E229161
<b>HG-LW1000</b>		
PA6		E229161
<b>HG-LW1250</b>		
PA6		E229161

# Appendix

## Product Approvals and Specifications

### Standards for HellermannTyton Routing Protection Insulation

Material	Specifications	File#
<b>HG-LW1500</b>		
PA6		E229161
<b>HG-LW2000</b>		
PA6		E229161
<b>HG-SW0250</b>		
PA6		E229161
<b>HG-SW0258</b>		
PA6		E229161
<b>HG-SW0310</b>		
PA6		E229161
<b>HG-SW0318</b>		
PA6		E229161
<b>HG-SW0380</b>		
PA6		E229161
<b>HG-SW0388</b>		
PA6		E229161
<b>HG-SW0500</b>		
PA6		E246572
		E229161
<b>HG-SW0508</b>		
PA6		E229161
<b>HG-SW0750</b>		
PA6		E246572
		E229161
<b>HG-SW0758</b>		
PA6		E229161
<b>HG-SW1000</b>		
PA6		E246572
<b>HG-SW1008</b>		
PA6		E246572
<b>HG-SW1250</b>		
PA6		E246572
<b>HG-SW1258</b>		
PA6		E246572
<b>HG-SW1500</b>		
PA6		E246572
<b>HG-SW1508</b>		
PA6		E246572
<b>HG-SW2000</b>		
PA6		E246572
<b>HGU038-45-0500</b>		
PA66		E247502
<b>HGU038-90-0500</b>		
PA66		E247502
<b>HGU038-S-0500</b>		
PA66		E247502
<b>HGU050-45-0500</b>		
PA66		E247502
<b>HGU050-90-0500</b>		
PA66		E247502

Material	Specifications	File#
<b>HGU050-S-0500</b>		
PA66		E247502
<b>HGU075-45-0750</b>		
PA66		E247502
<b>HGU075-90-0750</b>		
PA66		E247502
<b>HGU075-S-0750</b>		
PA66		E247502
<b>HGU100-45-1000</b>		
PA66		E247502
<b>HGU100-90-1000</b>		
PA66		E247502
<b>HGU100-S-1000</b>		
PA66		E247502
<b>HGU125-45-1250</b>		
PA66		E247502
<b>HGU125-90-1250</b>		
PA66		E247502
<b>HGU125-90-1500</b>		
PA66		E247502
<b>HGU125-S-1250</b>		
PA66		E247502
<b>HGU125-S-1500</b>		
PA66		E247502
<b>HGU150-45-1500</b>		
PA66		E247502
<b>HGU150-90-1500</b>		
PA66		E247502
<b>HGU150-90-2000</b>		
PA66		E247502
<b>HGU150-S-1500</b>		
PA66		E247502
<b>HGU150-S-2000</b>		
PA66		E247502
<b>HGU16-45-M20B</b>		
PA66		E247502
<b>HGU16-90-M16B</b>		
PA66		E247502
<b>HGU16-90-M20B</b>		
PA66		E247502
<b>HGU16-S-M16B</b>		
PA66		E247502
<b>HGU16-S-M20B</b>		
PA66		E247502
<b>HGU21-45-M20B</b>		
PA66		E247502
<b>HGU21-90-M20B</b>		
PA66		E247502
<b>HGU21-S-M20B</b>		
PA66		E247502

## Standards for HellermannTyton Routing Protection Insulation

Material	Specifications	File#
<b>HGU28-45-M25B</b>		
PA66		E247502
<b>HGU28-90-M25B</b>		
PA66		E247502
<b>HGU28-S-M25B</b>		
PA66		E247502
<b>HGU34-45-M32B</b>		
PA66		E247502
<b>HGU34-90-M32B</b>		
PA66		E247502
<b>HGU34-S-M32B</b>		
PA66		E247502
<b>HGU34-S-M40B</b>		
PA66		E247502
<b>HGU42-90-M40B</b>		
PA66		E247502
<b>HGU42-90-M50B</b>		
PA66		E247502
<b>HGU42-S-M40B</b>		
PA66		E247502
<b>HGU42-S-M50B</b>		
PA66		E247502
<b>HIS-3-BAG 12/4 BK</b>		
PO-X	ANSI/UL 224, SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AMS - DTL-23053/5 Class 2	E143529
<b>HIS-3-BAG 12/4 CL</b>		
PO-X	ANSI/UL 224, SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AMS - DTL-23053/5 Class 2	
<b>HIS-3-BAG 3/1 BK</b>		
PO-X	ANSI/UL 224, SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AMS - DTL-23053/5 Class 2	E143529
<b>HIS-3-BAG 3/1 CL</b>		
PO-X	ANSI/UL 224, SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AMS - DTL-23053/5 Class 2	
<b>HIS-3-BAG 4.5/1.5 BK</b>		
PO-X	ANSI/UL 224, SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AMS - DTL-23053/5 Class 2	E143529
<b>HIS-3-BAG 4.5/1.5 CL</b>		
PO-X	ANSI/UL 224, SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AMS - DTL-23053/5 Class 2	
<b>HIS-3-BAG 6/2 BK</b>		
PO-X	ANSI/UL 224, SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AMS - DTL-23053/5 Class 2	E143529
<b>HIS-3-BAG 6/2 CL</b>		
PO-X	ANSI/UL 224, SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AMS - DTL-23053/5 Class 2	

Material	Specifications	File#
<b>HIS-3-BAG 9/3 BK</b>		
PO-X	ANSI/UL 224, SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AMS - DTL-23053/5 Class 2	E143529
<b>HIS-3-BAG 9/3 CL</b>		
PO-X	ANSI/UL 224, SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AMS - DTL-23053/5 Class 2	
<b>HWPV016</b>		
PA6V0	EN 45545-2:2013, UL 1441	E341700
<b>HWPV020</b>		
PA6V0	EN 45545-2:2013, UL 1441	E341700
<b>HWPV025</b>		
PA6V0	EN 45545-2:2013, UL 1441	E341700
<b>HWPV030</b>		
PA6V0	EN 45545-2:2013, UL 1441	E341700
<b>HWPV08</b>		
PA6V0	EN 45545-2:2013, UL 1441	E341700
<b>HWPP16</b>		
PP	ECE R 118-03 Abschnitt 6, 2017-06	
<b>HWPP20</b>		
PP	ECE R 118-03 Abschnitt 6, 2017-06	
<b>HWPP25</b>		
PP	ECE R 118-03 Abschnitt 6, 2017-06	
<b>HWPP30</b>		
PP	ECE R 118-03 Abschnitt 6, 2017-06	
<b>HWPP8</b>		
PP	ECE R 118-03 Abschnitt 6, 2017-06	
<b>MCR-B10</b>		
PVC		E192902
<b>MCR-B8</b>		
PVC		E192902
<b>MCR-BS</b>		
PVC		E192902
<b>MCR-BS10</b>		
PVC		E192902
<b>MCR-BS8</b>		
PVC		E192902
<b>MCR-C10</b>		
PVC		E192902
<b>MCR-C8</b>		
PVC		E192902
<b>MCR-CS</b>		
PVC		E211305
<b>MCR-EC</b>		
PVC		E211305

### Standards for HellermannTyton Routing Protection Insulation

Material	Specifications	File#
<b>MCR-EE</b>		
PVC		E211305
<b>MCR-ENT</b>		
PVC		E211305
<b>MCR-FE</b>		
PVC		E211305
<b>MCR-IE</b>		
PVC		E211305
<b>MCR-LTD</b>		
PVC		E211305
<b>MCR-OB</b>		
PVC		E211305
<b>MCR-OE</b>		
PVC		E211305
<b>MCR-PTF</b>		
PVC		E211305
<b>MCR-RDB</b>		
PVC		E211305
<b>MCR-REB</b>		
PVC		E211305
<b>MCR-TE</b>		
PVC		E211305
<b>MCR-TM</b>		
PVC		E211305
<b>MCR-WR</b>		
PVC		E211305
<b>PSR0380</b>		
PVC		E229161
<b>PSR038-45-0500</b>		
PA66		E229161
<b>PSR038-90-0500</b>		
PA66		E229161
<b>PSR038-S-0380</b>		
PA66		E229161
<b>PSR0500</b>		
PVC		E229161
<b>PSR050-45-0500</b>		
PA66		E229161
<b>PSR050-90-0500</b>		
PA66		E229161
<b>PSR050-S-0500</b>		
PA66		E229161
<b>PSR0750</b>		
PVC		E229161
<b>PSR075-45-0750</b>		
PA66		E229161
<b>PSR075-90-0750</b>		
PA66		E229161
<b>PSR075-S-0750</b>		
PA66		E229161

Material	Specifications	File#
<b>PSR1000</b>		
PVC		E229161
<b>PSR100-45-1000</b>		
PA66		E229161
<b>PSR100-90-1000</b>		
PA66		E229161
<b>PSR100-S-1000</b>		
PA66		E229161
<b>PSR1250</b>		
PVC		E229161
<b>PSR125-90-1250</b>		
PA66		E229161
<b>PSR125-S-1250</b>		
PA66		E229161
<b>PSR1500</b>		
PVC		E229161
<b>PSR150-S-1500</b>		
PA66		E229161
<b>PSR2000</b>		
PVC		E229161
<b>SD.5X.5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD.5X1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD.75X.75</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD1.5X1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD1.5X1.5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD1.5X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD1.5X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD1.5X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD1X1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD1X1.5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD1X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139

## Standards for HellermannTyton Routing Protection Insulation

Material	Specifications	File#
<b>SD1X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD1X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD2.5X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD2X1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD2X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD2X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD2X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD2X5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD3X1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD3X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD3X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD3X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD3X5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD4X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD4X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD4X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD4X5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SD6X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139

Material	Specifications	File#
<b>SD8X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA.75X.75</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA1.5X1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA1.5X1.5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA1.5X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA1.5X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA1.5X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA1X1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA1X1.5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA1X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA1X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA1X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA2.5X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA2X1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA2X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA2X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA2X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA2X5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA3X1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139

### Standards for HellermannTyton Routing Protection Insulation

Material	Specifications	File#
<b>SDA3X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA3X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA3X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA3X5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA4X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA4X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA4X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SDA4X5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>ShrinkKit 321 Basic</b>		
PO-X	SAE - AMS - DTL-23053/5 Class 1	
<b>ShrinkKit 321 Universal Basic</b>		
PO-X	SAE - AMS - DTL-23053/5 Class 1	
<b>SL1.5X1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SL1.5X1.5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SL1.5X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SL1.5X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SL1.5X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SL1x1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SL1X1.5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SL1X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SL1X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139

Material	Specifications	File#
<b>SL1X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SL2.5X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SL2X1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SL2X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SL2X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SL2X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SL2X5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SL3X1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SL3X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SL3X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SL3X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SL3X5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SL4X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SL4X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SL4X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SL4X5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLA1.5X1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLA1.5X1.5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLA1.5X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139

## Standards for HellermannTyton Routing Protection Insulation

Material	Specifications	File#
<b>SLA1.5X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLA1.5X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLA1X1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLA1X1.5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLA1X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLA1X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLA1X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLA2.5X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLA2X1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLA2X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLA2X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLA2X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLA2X5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLA3X1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLA3X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLA3X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLA3X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLA3X5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139

Material	Specifications	File#
<b>SLA4X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLA4X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLA4X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLA4X5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHD1.5X1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHD1.5X1.5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHD1.5X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHD1.5X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHD1.5X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHD1X1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHD1X1.5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHD1X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHD1X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHD1X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHD2.5X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHD2X1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHD2X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHD2X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139

### Standards for HellermannTyton Routing Protection Insulation

Material	Specifications	File#
<b>SLHD2X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHD2X5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHD3X1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHD3X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHD3X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHD3X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHD3X5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHD4X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHD4X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHD4X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHD4X5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHDA1.5X1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHDA1.5X1.5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHDA1.5X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHDA1.5X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHDA1.5X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHDA1X1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHDA1X1.5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139

Material	Specifications	File#
<b>SLHDA1X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHDA1X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHDA1X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHDA2.5X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHDA2X1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHDA2X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHDA2X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHDA2X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHDA2X5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHDA3X1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHDA3X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHDA3X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHDA3X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHDA3X5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHDA4X2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHDA4X3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHDA4X4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>SLHDA4X5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139



## Standards for HellermannTyton Routing Protection Insulation

Material	Specifications	File#
<b>TAN33-ST-12/4 BK</b>		
PO-X	CSA	E125182
<b>TAN33-ST-19/6 BK</b>		
PO-X	CSA	E125182
<b>TAN33-ST-24/8 BK</b>		
PO-X	CSA	E125182
<b>TAN33-ST-3/1 BK</b>		
PO-X	CSA	E125182
<b>TAN33-ST-4.8/1.5 BK</b>		
PO-X	CSA	E125182
<b>TAN33-ST-40/13 BK</b>		
PO-X	CSA	E125182
<b>TAN33-ST-6/2 BK</b>		
PO-X	CSA	E125182
<b>TAN33-ST-9/3 BK</b>		
PO-X	CSA	E125182
<b>TC.5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>TC.75</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>TC1</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>TC1.5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>TC2</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>TC2.5</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>TC3</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>TC4</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>TC6</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>TC8</b>		
PVC	CSA, EN 50085-1:2005 + A1:2013, EN 50085-2-3_1A, UL	E64139
<b>TCN20-1.6/0.8</b>		
PO-X	C22.2 no. 198.1-06, UL 224 125 °C 600V VW-1	E143529
<b>TCN20-12.7/6.4</b>		
PO-X	C22.2 no. 198.1-06, UL 224 125 °C 600V VW-1	E143529

Material	Specifications	File#
<b>TCN20-19.1/9.5</b>		
PO-X	C22.2 no. 198.1-06, UL 224 125 °C 600V VW-1	E143529
<b>TCN20-2.4/1.2</b>		
PO-X	C22.2 no. 198.1-06, UL 224 125 °C 600V VW-1	E143529
<b>TCN20-25.4/12.7</b>		
PO-X	C22.2 no. 198.1-06, UL 224 125 °C 600V VW-1	E143529
<b>TCN20-3.2/1.6</b>		
PO-X	C22.2 no. 198.1-06, UL 224 125 °C 600V VW-1	E143529
<b>TCN20-38.1/19.1</b>		
PO-X	C22.2 no. 198.1-06, UL 224 125 °C 600V VW-1	E143529
<b>TCN20-4.8/2.4</b>		
PO-X	C22.2 no. 198.1-06, UL 224 125 °C 600V VW-1	E143529
<b>TCN20-50.8/25.4</b>		
PO-X	C22.2 no. 198.1-06, UL 224 125 °C 600V VW-1	E143529
<b>TCN20-9.5/4.8</b>		
PO-X	C22.2 no. 198.1-06, UL 224 125 °C 600V VW-1	E143529
<b>TFN21 1.2/0.6</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21 1.6/0.8</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21 102.0/50.8</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21 12.7/6.4</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21 16.0/8.0</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21 19.1/9.5</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21 2.4/1.2</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21 25.4/12.7</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21 3.2/1.6</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21 31.8/16.0</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21 38.1/19.1</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21 4.8/2.4</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21 50.8/25.4</b>		
PO-X	ANSI/UL 224, CSA	E143529

### Standards for HellermannTyton Routing Protection Insulation

Material	Specifications	File#
<b>TFN21 6.4/3.2</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21 76.2/38.1</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21 9.5/4.8</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21-ST 1.6/0.8</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21-ST 102/50.8</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21-ST 12.7/6.4</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21-ST 19.1/9.5</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21-ST 2.4/1.2</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21-ST 25.4/12.7</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21-ST 3.2/1.6</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21-ST 31.8/16.0</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21-ST 38.1/19.1</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21-ST 4.8/2.4</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21-ST 50.8/25.4</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21-ST 6.4/3.2</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21-ST 76.2/38.1</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN21-ST 9.5/4.8</b>		
PO-X	ANSI/UL 224, CSA	E143529
<b>TFN31 12/4</b>		
PO-X	ANSI/UL 224, C22.2 no. 198.1-06	E143529
<b>TFN31 18/6</b>		
PO-X	ANSI/UL 224, C22.2 no. 198.1-06	E143529
<b>TFN31 24/8</b>		
PO-X	ANSI/UL 224, C22.2 no. 198.1-06	E143529
<b>TFN31 3/1</b>		
PO-X	ANSI/UL 224, C22.2 no. 198.1-06	E143529
<b>TFN31 39/13</b>		
PO-X	ANSI/UL 224, C22.2 no. 198.1-06	E143529
<b>TFN31 6/2</b>		
PO-X	ANSI/UL 224, C22.2 no. 198.1-06	E143529

Material	Specifications	File#
<b>TFN31 9/3</b>		
PO-X	ANSI/UL 224, C22.2 no. 198.1-06	E143529
<b>TFN31-ST-1.5/0.5</b>		
PO-X	ANSI/UL 224, C22.2 no. 198.1-06	E143529
<b>TFN31-ST-12/4</b>		
PO-X	ANSI/UL 224, C22.2 no. 198.1-06	E143529
<b>TFN31-ST-18/6</b>		
PO-X	ANSI/UL 224, C22.2 no. 198.1-06	E143529
<b>TFN31-ST-24/8</b>		
PO-X	ANSI/UL 224, C22.2 no. 198.1-06	E143529
<b>TFN31-ST-3/1</b>		
PO-X	ANSI/UL 224, C22.2 no. 198.1-06	E143529
<b>TFN31-ST-4.5/1.5</b>		
PO-X	ANSI/UL 224, C22.2 no. 198.1-06	E143529
<b>TFN31-ST-6/2</b>		
PO-X	ANSI/UL 224, C22.2 no. 198.1-06	E143529
<b>TFN31-ST-9/3</b>		
PO-X	ANSI/UL 224, C22.2 no. 198.1-06	E143529
<b>TSRP1-12</b>		
PVC		E211305
<b>TSRP1-14</b>		
PVC		E211305
<b>TSRP1-21-1</b>		
PVC		E211305
<b>TSRP1-25-1</b>		
PVC		E211305
<b>TSRP1-29-1</b>		
PVC		E211305
<b>TSRP1-33-1</b>		
PVC		E211305
<b>TSRP1-36</b>		
PVC		E211305
<b>TSRP1-50</b>		
PVC		E211305
<b>TSRP1-6A</b>		
PVC		E192902
<b>TSRP1-8A</b>		
PVC		E192902
<b>TSRP2-12</b>		
PVC		E211305
<b>TSRP2-14</b>		
PVC		E211305
<b>TSRP2-21-1</b>		
PVC		E211305

## Standards for HellermannTyton Routing Protection Insulation

Material	Specifications	File#
<b>TSRP2-25-1</b>		
PVC		E211305
<b>TSRP2-29-1</b>		
PVC		E211305
<b>TSRP2-33-1</b>		
PVC		E211305
<b>TSRP2-36</b>		
PVC		E211305
<b>TSRP2-50</b>		
PVC		E211305
<b>TSRP2-6A</b>		
PVC		E192902
<b>TSRP2-8A</b>		
PVC		E192902
<b>TSRP3-12</b>		
PVC		E211305
<b>TSRP3-14</b>		
PVC		E211305
<b>TSRP3-21-1</b>		
PVC		E211305
<b>TSRP3-25-1</b>		
PVC		E211305
<b>TSRP3-29-1</b>		
PVC		E211305
<b>TSRP3-33-1</b>		
PVC		E211305
<b>TSRP3-36</b>		
PVC		E211305
<b>TSRP3-50</b>		
PVC		E211305
<b>TSRP3-6A</b>		
PVC		E192902
<b>TSRP3-8A</b>		
PVC		E192902
<b>TSRPFW-RB</b>		
PVC		E211305
<b>TSRPI-RB</b>		
PVC		E211305
<b>TSRP-JB1</b>		
PVC		E211305
<b>TSRP-JB2</b>		
PVC		E211305
<b>TSRP-JB3</b>		
PVC		E211305
<b>TSRP-JBD</b>		
PVC		E211305
<b>TSRP-JBD2</b>		
PVC		E211305
<b>TSRPW-RB</b>		
PVC		E211305

# Appendix

## Product Approvals and Specifications

### Standards for HellermannTyton Identification

Material	Color (short)	Specifications	File#
<b>120VOLT</b>			
443/552	OG	NEC2017, UL 969	MH11410
<b>120VOLT10</b>			
443/552	OG	NEC2017, UL 969	MH11410
<b>120VOLTM5</b>			
AA	OG	NEC2017	
<b>120VOLTS</b>			
443/552	OG	UL 969	MH11410
<b>175REF</b>			
100	WH		MH18396
<b>3X2CAUTION</b>			
PET	YE		MH16736
<b>3X2CAUTIONUV</b>			
PET	YE	ANSI Standard Z535.4, CSA 66956, IFC 2012, NEC2011, NEC2014, UL 969	MH16736
<b>3X2DANGER</b>			
PET	RD		MH16736
<b>3X2DANGERUV</b>			
PET	RD	ANSI Standard Z535.4, CSA 66956, IFC 2012, NEC2011, NEC2014, UL 969	MH16736
<b>3X2NOTICE</b>			
PET	BU		MH16736
<b>3X2SAFETY</b>			
PET	GN		MH16736
<b>3X2WARNING</b>			
PET	OG		MH16736
<b>3X2WARNINGUV</b>			
PET	OG	ANSI Standard Z535.4, CSA 66956, IFC 2012, NEC2011, NEC2014, UL 969	MH16736
<b>4X6CAUTION</b>			
PET	YE		MH16736
<b>4X6CAUTIONUV</b>			
PET	YE	ANSI Standard Z535.4, CSA 66956, IFC 2012, NEC2011, NEC2014, UL 969	MH16736
<b>4X6DANGER</b>			
PET	RD		MH16736
<b>4X6DANGERUV</b>			
PET	RD	ANSI Standard Z535.4, CSA 66956, IFC 2012, NEC2011, NEC2014, UL 969	MH16736
<b>4X6NOTICE</b>			
PET	BU		MH16736
<b>4X6SAFETY</b>			
PET	GN		MH16736
<b>4X6WARNING</b>			
PET	OG		MH16736

Material	Color (short)	Specifications	File#
<b>4X6WARNINGUV</b>			
PET	OG	ANSI Standard Z535.4, CSA 66956, IFC 2012, NEC2011, NEC2014, UL 969	MH16736
<b>514REF</b>			
100	WH		MH18396
<b>AC2011</b>			
840/926	RD	CSA 66956, IFC 2012, NEC2011, UL 969	MH16736
<b>AC2011-1</b>			
840/926	RD	UL 969	MH16736
<b>AC201110</b>			
840/926	RD	CSA 66956, NEC2017, UL 969	MH16736
<b>AC2011M5</b>			
AA	BK	NEC2014, NEC2017	
<b>AC2011M5ENG</b>			
AA	BK	NEC2014, NEC2017	
<b>AC2011S</b>			
840/926	RD	CSA 66956	MH16736
<b>ACCB</b>			
V	RD		MH11410
<b>ACCB10</b>			
443/552	RD	NEC2014	MH16736
<b>ACDISC-1</b>			
840/926	RD	UL 969	MH16736
<b>ACDISCS</b>			
840/926	RD	CSA 66956	MH16736
<b>ACDISCT</b>			
840/926	RD	CSA 66956, IFC 2012, NEC2011, UL 969	MH16736
<b>ACDISCT10</b>			
840/926	RD	CSA 66956, NEC2017, UL 969	MH16736
<b>ACDISCTM5</b>			
AA	BK	NEC2014, NEC2017	
<b>ACRATING</b>			
840/926	RD	CSA 66956, IFC 2012, NEC2011, UL 969	MH16736
<b>AF5X35D</b>			
840/926	RD		MH11410
<b>AF5X35W</b>			
840/926	OG		MH11410
<b>BIPOLARPV</b>			
443/552	OG	UL 969	MH11410
<b>BIPOLARPV10</b>			
443/552	OG	NEC2014	MH11410
<b>BIPOLARPVM5</b>			
AA	OG	NEC2014	
<b>BLANK2X125</b>			
AA	BK	NEC2014, NEC2017	

## Standards for HellermannTyton Identification

Material	Color (short)	Specifications	File#
<b>BLANK375X2</b>			
AA	BK	NEC2014, NEC2017	
<b>BLANK4X75</b>			
AA	BK	NEC2014, NEC2017	
<b>CBACKFED</b>			
443/552	RD	UL 969	MH11410
	YE	NEC2017, UL 969	
<b>CBACKFED10</b>			
443/552	YE	NEC2017, UL 969	MH11410
<b>CBACKFEDM5</b>			
AA	YE	NEC2017	
<b>CBACKFEDS</b>			
443/552	OG	UL 969	MH11410
	YE		
<b>CSCIRLBL</b>			
242/552	YE	ANSI Standard Z535.4, IFC 2012, NEC2011, NEC2014, UL 969	MH16736
<b>CSCIRLBL10</b>			
242/552	YE	NEC2014	MH11410
<b>CSCSNAP4R</b>			
V	RDRF	IFC 2012, NEC2011	
<b>CSCSNAP72R</b>			
V	RDRF	IFC 2012, NEC2011	
<b>CSESC</b>			
242/552	RD	IFC 2012, NEC2011, UL 969	MH11410
	YE	ANSI Standard Z535.4, IFC 2012, NEC2011, NEC2014, UL 969	MH16736
<b>CSESC10</b>			
242/552	YE	NEC2014	MH11410
<b>CSESCS</b>			
242/552	YE		MH16736
<b>DC2011</b>			
840/926	RD	CSA 66956, IFC 2012, NEC2011, UL 969	MH16736
<b>DC2011-1</b>			
840/926	RD	UL 969	MH16736
<b>DC201110</b>			
840/926	RD	CSA 66956, NEC2014	MH16736
<b>DC2011M5</b>			
AA	BK	NEC2014	
<b>DC2011M5ENG</b>			
AA	BK	NEC2014	
<b>DC20115</b>			
840/926	RD	CSA 66956, UL 969	MH16736
<b>DC2017</b>			
840/926	RD	CSA 66956, IFC 2012, NEC2017, UL 969	MH16736
<b>DC201710</b>			
840/926	RD	CSA 66956, NEC2017, UL 969	MH16736

Material	Color (short)	Specifications	File#
<b>DC2017M5</b>			
AA	BK	NEC2017	
<b>DC2017M5ENG</b>			
AA	BK	NEC2017	
<b>DCCB</b>			
V	RD		MH11410
<b>DCCB10</b>			
443/552	RD	NEC2014	MH16736
<b>DCD</b>			
V	RD		MH11410
<b>DCD10</b>			
443/552	RD		MH16736
<b>DCDISC-1</b>			
840/926	RD	UL 969	MH16736
<b>DCDISCS</b>			
840/926	RD	CSA 66956, UL 969	MH16736
<b>DCDISCT</b>			
840/926	RD	CSA 66956, IFC 2012, NEC2011, UL 969	MH16736
<b>DCDISCT10</b>			
840/926	RD	CSA 66956, NEC2017, UL 969	MH16736
<b>DCDISCTM5</b>			
AA	BK	NEC2014, NEC2017	
<b>DCDISCTM5ENG</b>			
AA	BK	NEC2014, NEC2017	
<b>DCJB</b>			
V	RD		MH11410
<b>DCJB10</b>			
443/552	RD	NEC2014	MH16736
<b>DCRATING</b>			
840/926	RD	CSA 66956, IFC 2012, NEC2011, UL 969	MH16736
<b>DCRATING-1</b>			
840/926	RD	UL 969	MH16736
<b>DCRATING10</b>			
840/926	RD	CSA 66956, NEC2014	MH16736
<b>DCRATINGM5</b>			
AA	BK	NEC2014	
<b>DCRATINGM5ENG</b>			
AA	BK	NEC2014	
<b>DNALP</b>			
V	RD		MH11410
<b>DNDCUL</b>			
242/552	RD	IFC 2012, NEC2011, NEC2017, UL 969	MH16736
<b>DNDCUL10</b>			
242/552	RD	NEC2017, UL 969	MH16736
<b>DS275X135</b>			
PET	RD		MH16736

# Appendix

## Product Approvals and Specifications

### Standards for HellermannTyton Identification

Material	Color (short)	Specifications	File#
<b>DS55X275</b>			
PET	RD		MH16736
<b>DV275X135</b>			
PET	RD		MH16736
<b>DV55X275</b>			
PET	RD		MH16736
<b>ECCMPV</b>			
V	RD		MH11410
<b>ECCMPV10</b>			
443/552	RD	NEC2014	MH11410
<b>ESSDCD</b>			
443/552	RD	NEC2017, UL 969	MH11410
<b>HFST39-13WH-S</b>			
PO-X	WH	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>HFST39-13YE</b>			
PO-X	YE	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>HFST39-13YE-S</b>			
PO-X	YE	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>HL2X2YE</b>			
PET	YE		MH16736
<b>HL3X3YE</b>			
PET	YE		MH16736
<b>HST12-4BK</b>			
PO-X	BK	UL 224 125 °C 600V VW-1	
<b>HST12-4WH</b>			
PO-X	WH	UL 224 125 °C 600V VW-1	
<b>HST12-4WH-3S</b>			
PO-X	WH	UL 224 125 °C 600V VW-1	
<b>HST12-4WHAP</b>			
PO-X	WH	UL 224 125 °C 600V VW-1	
<b>HST12-4WH-S</b>			
PO-X	WH	UL 224 125 °C 600V VW-1	
<b>HST12-4YE</b>			
PO-X	YE	UL 224 125 °C 600V VW-1	
<b>HST12-4YE-3S</b>			
PO-X	YE	UL 224 125 °C 600V VW-1	
<b>HST12-4YE-S</b>			
PO-X	YE	UL 224 125 °C 600V VW-1	
<b>HST18-6BK</b>			
PO-X	BK	UL 224 125 °C 600V VW-1	
<b>HST18-6BK-S</b>			
PO-X	BK	UL 224 125 °C 600V VW-1	
<b>HST18-6WH</b>			
PO-X	WH	UL 224 125 °C 600V VW-1	

Material	Color (short)	Specifications	File#
<b>HST18-6WH-S</b>			
PO-X	WH	UL 224 125 °C 600V VW-1	
<b>HST18-6YE</b>			
PO-X	YE	UL 224 125 °C 600V VW-1	
<b>HST18-6YE-S</b>			
PO-X	YE	UL 224 125 °C 600V VW-1	
<b>HST24-8BK</b>			
PO-X	BK	UL 224 125 °C 600V VW-1	
<b>HST24-8BK-S</b>			
PO-X	BK	UL 224 125 °C 600V VW-1	
<b>HST24-8WH</b>			
PO-X	WH	UL 224 125 °C 600V VW-1	
<b>HST24-8WH-S</b>			
PO-X	WH	UL 224 125 °C 600V VW-1	
<b>HST24-8YE</b>			
PO-X	YE	UL 224 125 °C 600V VW-1	
<b>HST24-8YE-S</b>			
PO-X	YE	UL 224 125 °C 600V VW-1	
<b>HST3-1BK</b>			
PO-X	BK	UL 224 125 °C 600V	
<b>HST3-1BK-2S</b>			
PO-X	BK	UL 224 125 °C 600V VW-1	
<b>HST3-1BK-3S</b>			
PO-X	BK	UL 224 125 °C 600V VW-1	
<b>HST3-1BK-S</b>			
PO-X	BK	UL 224 125 °C 600V VW-1	
<b>HST3-1WH</b>			
PO-X	WH	UL 224 125 °C 600V VW-1 CEN	
<b>HST3-1WH-2S</b>			
PO-X	WH	CEN, SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 CEN	
<b>HST3-1WH-3S</b>			
PO-X	WH	CEN	
<b>HST3-1WH-S</b>			
PO-X	WH	UL 224 125 °C 600V VW-1 CEN	
<b>HST3-1YE</b>			
PO-X	YE	UL 224 125 °C 600V VW-1	
<b>HST3-1YE-2S</b>			
PO-X	YE	CEN, SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 CEN	
<b>HST3-1YE-S</b>			
PO-X	YE	UL 224 125 °C 600V VW-1 CEN, SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531	

## Standards for HellermannTyton Identification

Material	Color (short)	Specifications	File#
<b>HST39-13WH</b>			
PO-X	WH	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>HST4.8-1.6BK</b>			
PO-X	BK	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>HST4.8-1.6BK-3S</b>			
PO-X	BK	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>HST4.8-1.6WH</b>			
PO-X	WH	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
		CEN	
		UL 224 125 °C 600V VW-1	
		SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>HST4.8-1.6WH-2S</b>			
PO-X	WH	CEN	
<b>HST4.8-1.6WH-3S</b>			
PO-X	WH	CEN, UL 224 125 °C 600V VW-1	
		CEN	
<b>HST4.8-1.6WHAP</b>			
PO-X	WH	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>HST4.8-1.6WH-S</b>			
PO-X	WH	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
		CEN	
		SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
		CEN	
<b>HST4.8-1.6YE</b>			
PO-X	YE	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>HST4.8-1.6YE-2S</b>			
PO-X	YE	CEN, SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531	
<b>HST4.8-1.6YE-S</b>			
PO-X	YE	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>HST4.8-1YE-3S</b>			
PO-X	YE	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	

Material	Color (short)	Specifications	File#
<b>HST6-2BK</b>			
PO-X	BK	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>HST6-2BK-2S</b>			
PO-X	BK	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>HST6-2BK-3S</b>			
PO-X	BK	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>HST6-2WH</b>			
PO-X	WH	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>HST6-2WH-2S</b>			
PO-X	WH	CEN	
<b>HST6-2WH-3S</b>			
PO-X	WH	CEN	
<b>HST6-2WHAP</b>			
PO-X	WH	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>HST6-2WH-S</b>			
PO-X	WH	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
		CEN	
		SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>HST6-2YE</b>			
PO-X	YE	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>HST6-2YE-2S</b>			
PO-X	YE	CEN, SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531	
<b>HST6-2YE-3S</b>			
PO-X	YE	CEN	
<b>HST6-2YE-S</b>			
PO-X	YE	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
		CEN	
<b>HST9-3BK</b>			
PO-X	BK	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>HST9-3BK-3S</b>			
PO-X	BK	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	

# Appendix

## Product Approvals and Specifications

### Standards for HellermannTyton Identification

Material	Color (short)	Specifications	File#
<b>HST9-3WH</b>			
PO-X	WH	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>HST9-3WH-2S</b>			
PO-X	WH	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>HST9-3WH-3S</b>			
PO-X	WH	CEN	
<b>HST9-3WHAP</b>			
PO-X	WH	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>HST9-3WH-S</b>			
PO-X	WH	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>HST9-3YE</b>			
PO-X	YE	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>HST9-3YE-S</b>			
PO-X	YE	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>HT1BK250</b>			
V	BK	UL 969	MH18396
<b>HT1BU250</b>			
V	BU	UL 969	
<b>HT1GN250</b>			
V	GN	UL 969	
<b>HT1OE250</b>			
V	OG	UL 969	
<b>HT1RD250</b>			
V	RD	UL 969	MH18396
<b>HT1RDHB250</b>			
840/926	RD	ANSI Standard Z535.4, CSA 66956, IFC 2012, NEC2011, NEC2014, UL 969	MH18396
<b>HT1RDRF250</b>			
V	RDRF	UL 969	
<b>HT1WH250</b>			
V	WH	UL 969	MH18396
<b>HT1YE250</b>			
V	YE	UL 969	MH18396
<b>HT2BK250</b>			
V	BK	UL 969	MH18396
<b>HT2BU250</b>			
V	BU	UL 969	
<b>HT2GN250</b>			
V	GN	UL 969	

Material	Color (short)	Specifications	File#
<b>HT2OE250</b>			
V	OG	UL 969	
<b>HT2OE50250</b>			
336/926	OG	CSA, UL 969	MH16736
<b>HT2OE50250UV</b>			
840/926	OG	ANSI Standard Z535.4, CSA 66956, IFC 2012, NEC2011, NEC2014, UL 969	MH16736
<b>HT2RD250</b>			
V	RD	UL 969	MH18396
<b>HT2RDHB250</b>			
840/926	RD	ANSI Standard Z535.4, CSA 66956, IFC 2012, NEC2011, NEC2014, UL 969	MH18396
<b>HT2RDRF250</b>			
V	RDRF	UL 969	
<b>HT2WH250</b>			
V	WH	UL 969	MH18396
<b>HT2YE250</b>			
V	YE	UL 969	MH18396
<b>HT2YE50250</b>			
336/926	YE	CSA, UL 969	MH16736
<b>HT3BK250</b>			
V	BK	UL 969	MH18396
<b>HT3BU250</b>			
V	BU	UL 969	
<b>HT3GN250</b>			
V	GN	UL 969	
<b>HT3OE250</b>			
V	OG	UL 969	
<b>HT3OE75250</b>			
336/926	OG	CSA, UL 969	
<b>HT3OE75250UV</b>			
840/926	OG	ANSI Standard Z535.4, CSA 66956, IFC 2012, NEC2011, NEC2014, UL 969	MH16736
<b>HT3RD250</b>			
V	RD	UL 969	MH18396
<b>HT3RDHB250</b>			
840/926	RD	ANSI Standard Z535.4, CSA 66956, IFC 2012, NEC2011, NEC2014, UL 969	MH16736
<b>HT3RDRF250</b>			
V	RDRF	UL 969	MH18396
<b>HT3WH250</b>			
V	WH	UL 969	MH18396
<b>HT3YE250</b>			
V	YE	UL 969	MH18396
<b>HT3YE75250</b>			
336/926	YE	CSA, UL 969	



## Standards for HellermannTyton Identification

Material	Color (short)	Specifications	File#
<b>HT4GN250</b>			
V	GN	UL 969	
<b>HT4OE10250</b>			
336/926	OG	CSA, UL 969	
<b>HT4OE10250UV</b>			
840/926	OG	ANSI Standard Z535.4, CSA 66956, IFC 2012, NEC2011, NEC2014, UL 969	MH16736
<b>HT4OE250</b>			
V	OG	UL 969	
<b>HT4RD250</b>			
V	RD	UL 969	MH18396
<b>HT4RDF100</b>			
V	RDRF	UL 969	
<b>HT4WH250</b>			
V	WH	UL 969	MH18396
<b>HT4YE10250</b>			
336/926	YE	CSA, UL 969	
<b>HT4YE250</b>			
V	YE	UL 969	
<b>HTS6-2YE</b>			
PO-X	YE	SAE - AMS - DTL-23053/5 Class 1 and 3, SAE - AS81531 , UL 224 125 °C 600V VW-1	
<b>IOC</b>			
V	YE		MH11410
<b>IOC10</b>			
443/552	YE	NEC2014	MH11410
<b>IOC0D</b>			
443/552	OG	UL 969	MH11410
<b>IOC0D10</b>			
443/552	OG	UL 969	MH11410
<b>IOC0D14</b>			
443/552	OG	UL 969	MH11410
<b>IOC0D17</b>			
443/552	OG	NEC2017, UL 969	MH11410
<b>IOC0D1710</b>			
443/552	OG	NEC2017, UL 969	MH11410
<b>IOC0D17M5</b>			
AA	OG	NEC2017	
<b>IOC0D17ST</b>			
443/552	OG	NEC2017, UL 969	MH11410
<b>IOC0D17ST10</b>			
443/552	OG	NEC2017, UL 969	MH11410
<b>IOC0DM5</b>			
AA	OG	NEC2014	
<b>IOC0DS</b>			
443/552	OG	UL 969	MH11410
<b>LAM1</b>			
443/552	CL	IFC 2012, NEC2011, UL 969	MH11410

Material	Color (short)	Specifications	File#
<b>LAM110</b>			
443/552	CL	NEC2014, NEC2017	MH11410
<b>M-BOSS Compact</b>			
	BU	2006/42/EG, EN 60204-1:2006, EN ISO 12100:2010	
<b>M-BOSS Compact Organiser</b>			
	BU	2006/42/EG, EN 60204-1:2006, EN ISO 12100:2010	
<b>MBSDIS</b>			
840/926	RD	CSA 66956, IFC 2012, NEC2017, UL 969	MH16736
<b>MPVACDIS</b>			
242/552	RD	IFC 2012, NEC2011, NEC2017, UL 969	MH16736
<b>MPVACDIS10</b>			
242/552	RD	NEC2017, UL 969	MH16736
<b>MPVACDISM5</b>			
AA	RD	NEC2017	
<b>MPVSD</b>			
242/552	RD	IFC 2012, NEC2011, NEC2017, UL 969	MH16736
<b>MPVSD10</b>			
242/552	RD	NEC2017, UL 969	MH16736
<b>MPVSDM5</b>			
AA	RD	NEC2017	
<b>PCP2X1</b>			
840W	WH	CSA 66956	MH16736
<b>PCP3X1</b>			
840W	WH	CSA 66956	MH16736
<b>PCP4X3</b>			
840W	WH	CSA 66956	MH16736
<b>PLB3P</b>			
PET	BK		MH18396
<b>PLW3P</b>			
PET	WH		MH16736
<b>PSEWRS</b>			
242/552	RD	ANSI Standard Z535.4, IFC 2012, NEC2011, NEC2014, UL 969	MH16736
<b>PSEWRS10</b>			
242/552	RD	NEC2014	MH16736
<b>PSEWRS17</b>			
242/552	RD	NEC2017	MH16736
<b>PSEWRS1710</b>			
242/552	RD	NEC2017, UL 969	MH16736
<b>PSEWRSS</b>			
242/552	RD	UL 969	MH16736
<b>PSKWH</b>			
V	RD		MH11410
<b>PSKWH10</b>			
443/552	RD	NEC2014	MH11410

# Appendix

## Product Approvals and Specifications

### Standards for HellermannTyton Identification

Material	Color (short)	Specifications	File#
<b>PVACDIS</b>			
840/926	RD	CSA 66956, IFC 2012, NEC2011, UL 969	MH16736
<b>PVACDIS-1</b>			
840/926	RD	UL 969	MH16736
<b>PVACDIS10</b>			
840/926	RD	CSA 66956, NEC2014	MH16736
<b>PVACDIS17</b>			
840/926	RD	CSA 66956	MH16736
<b>PVACDIS1710</b>			
840/926	RD	CSA 66956, NEC2017, UL 969	MH16736
<b>PVACDIS17M5</b>			
AA	BK	NEC2017	
<b>PVACDIS17M5ENG</b>			
AA	BK	NEC2017	
<b>PVACDISM5</b>			
AA	BK	NEC2014	
<b>PVACDISM5ENG</b>			
AA	BK	NEC2014	
<b>PVACDISS</b>			
840/926	RD	CSA 66956, UL 969	MH16736
<b>PVPSR</b>			
242/552	RD	IFC 2012, NEC2011, NEC2017, UL 969	MH16736
<b>PVPSR10</b>			
242/552	RD	NEC2017, UL 969	MH16736
<b>PVPSR500</b>			
242/552	RD	IFC 2012, NEC2011, UL 969	MH16736
<b>PVPSRTM</b>			
242/552	RDRF	IFC 2012, NEC2011, UL 969	MH16736
<b>PVPSSNAP4</b>			
V	RDRF	IFC 2012, NEC2011	
<b>PVPSSNAP72</b>			
V	RDRF	IFC 2012, NEC2011	
<b>PW.25W1</b>			
V	WH	UL-Recognized	MH18396
<b>PW.50W1</b>			
V	WH	UL-Recognized	MH18396
<b>PW.50W2</b>			
V	WH	UL-Recognized	MH18396
<b>PW2.75W1</b>			
V	WH	UL-Recognized	MH18396
<b>PW2.75W2</b>			
V	WH	UL-Recognized	MH18396
<b>RO175</b>			
100	WH		MH18396
<b>RO175WP</b>			
100	WH		MH18396
<b>RO512</b>			
100	WH, CL		MH18396

Material	Color (short)	Specifications	File#
<b>RO512REF</b>			
100	WH		MH18396
<b>RO514</b>			
100	WH		MH18396
<b>RSDRD17</b>			
242/552	RD	NEC2017	MH16736
<b>RSDRD1710</b>			
242/552	RD	NEC2017, UL 969	MH16736
<b>RSDYL17</b>			
242/552	YE	NEC2017	MH16736
<b>RSDYL1710</b>			
242/552	YE	NEC2017, UL 969	MH16736
<b>SMPV</b>			
V	OG		MH11410
<b>SMPV10</b>			
443/552	OG	NEC2014	MH11410
<b>SOLARD</b>			
242/552	RD	IFC 2012, NEC2011, UL 969	MH16736
<b>SOLARD10</b>			
242/552	RD	NEC2014	MH16736
<b>SOLARDS</b>			
242/552	RD		MH16736
<b>SSB</b>			
V	RD		MH11410
<b>TAG1</b>			
100	WH	UL-Recognized	MH18396
<b>TAG10</b>			
100	WH	UL-Recognized	MH18396
<b>TAG10T2</b>			
100B	WH	UL-Recognized	MH18396
<b>TAG11T4</b>			
822	WH	UL-Recognized	MH18396
822C	CL		
<b>TAG13T4</b>			
822	WH	UL-Recognized	MH18396
<b>TAG14</b>			
400	WH	UL-Recognized	MH18396
<b>TAG15</b>			
400	WH	UL-Recognized	MH18396
600	SR		
<b>TAG15T3</b>			
795	SR	UL-Recognized	MH18396
822	WH		
822C	CL		
<b>TAG16</b>			
400	WH	UL-Recognized	MH18396
<b>TAG16T3</b>			
822	WH	UL-Recognized	MH18396

## Standards for HellermannTyton Identification

Material	Color (short)	Specifications	File#
<b>TAG17T2</b>			
822	WH	UL-Recognized	MH18396
<b>TAG1T1</b>			
100B	WH	UL-Recognized	MH18396
<b>TAG2</b>			
100	WH	UL-Recognized	MH18396
<b>TAG22</b>			
100	WH	UL-Recognized	MH18396
<b>TAG22T2</b>			
100B	WH	UL-Recognized	MH18396
<b>TAG22T3</b>			
100B	WH	UL-Recognized	MH18396
<b>TAG23</b>			
100	WH	UL-Recognized	MH18396
<b>TAG24</b>			
100	WH	UL-Recognized	MH18396
<b>TAG24T1</b>			
100B	WH	UL-Recognized	MH18396
<b>TAG25</b>			
100	WH	UL-Recognized	MH18396
<b>TAG26</b>			
100	WH	UL-Recognized	MH18396
<b>TAG26T6</b>			
100B	WH	UL-Recognized	MH18396
<b>TAG27</b>			
400	WH	UL-Recognized	MH18396
600			
<b>TAG27T1</b>			
795	SR	UL-Recognized	MH18396
822	WH		
822C	CL		
<b>TAG2T5</b>			
100B	WH	UL-Recognized	MH18396
<b>TAG3</b>			
100	WH	UL-Recognized	MH18396
<b>TAG38T4</b>			
100B	WH	UL-Recognized	MH18396
<b>TAG3T3</b>			
100B	WH	UL-Recognized	MH18396
<b>TAG44</b>			
400	WH	UL-Recognized	MH18396
<b>TAG5</b>			
100	WH	UL-Recognized	MH18396
<b>TAG51T3</b>			
100B	WH	UL-Recognized	MH18396
<b>TAG53T2</b>			
100B	WH	UL-Recognized	MH18396
<b>TAG6</b>			
100	WH	UL-Recognized	MH18396

Material	Color (short)	Specifications	File#
<b>TAG68T1</b>			
336	WH	UL-Recognized	MH16736
<b>TAG69T1</b>			
336	WH	UL-Recognized	MH16736
<b>TAG6T1</b>			
100B	WH	UL-Recognized	MH18396
<b>TAG70T12</b>			
822	WH	UL-Recognized	MH18396
<b>TAG71T5</b>			
822	WH	UL-Recognized	MH18396
<b>TAG72T1</b>			
795	SR	UL-Recognized	MH18396
822	WH		
<b>TAG73T1</b>			
795	SR	UL-Recognized	MH18396
822	WH		
PO			
<b>TAG75T1</b>			
795	SR	UL-Recognized	MH18396
822	WH		
<b>TAG76T1</b>			
795	SR	UL-Recognized	MH18396
<b>TAG78T1</b>			
795	SR	UL-Recognized	MH18396
<b>TAG79T1</b>			
795	SR	UL-Recognized	MH18396
<b>TAG7T1</b>			
100B	WH	UL-Recognized	MH18396
<b>TAG80T1</b>			
795	SR	UL-Recognized	MH18396
<b>TAG81T8</b>			
822	WH	UL-Recognized	MH18396
<b>TAG82T2</b>			
822	WH	UL-Recognized	MH18396
<b>TAG83T1</b>			
822	WH	UL-Recognized	MH18396
<b>TAG84T3</b>			
822	WH	UL-Recognized	MH18396
<b>TAG9</b>			
100	WH	UL-Recognized	MH18396
<b>TAG96T1</b>			
336	WH	UL-Recognized	MH16736
<b>TAG9T3</b>			
100B	WH	UL-Recognized	MH18396
<b>TAGPP1T6</b>			
822	WH	UL-Recognized	MH18396
822C	CL		